



DEPARTMENT OF FINANCE

PROCUREMENT SERVICES

95 Rochford Street, 2nd Floor South, Shaw Building, Room 27
Charlottetown, PEI, C1A 7N8
Telephone: (902) 368-4040 or Facsimile (902) 368-5171

ADDENDUM # 001

For RFP # 5433

TO: All Bidders

FROM: Procurement Services

DATE: February 18, 2020

SUBJECT: Questions and Answers & Extension of Closing Date

**Please be advised that the closing date for this tender opportunity has been extended to February 26th, 2020 at 12:00 PM.

No.	Question	Answer
1	The tender specifications seem to request consumer devices. Are commercial or semi-commercial class devices able to be submitted?	IT Shared Services (ITSS) are not currently planning to evaluate commercial grade devices as part of this tender. For the intended usage outlined in the tender document, we have decided to limit this to establishing long term price points for consumer-class TV devices.
2	Is a refresh rate of 120hz a requirement for your intended usage?	This requirement has been removed. Please see/complete 5433 RFSO Addendum 1B – Revised Response Grid.
3	Is there an estimate on the number of TVs that could be procured for any of the requested class of devices?	ITSS does not have an accurate data to forecast the number of devices that could be procured through this tender. The volume of purchases will ultimately be determined based on the competitiveness of the prices submitted by any awarded vendor, and our internal need over the course of the tender’s multi-year duration.

4	Can you specify the exact TV size required from each classification range?	ITSS has intentionally stated class ranges for the devices to allow for competitive responses. In certain classes of devices it is possible to see wildly varying price points between certain levels of the scale based on the popularity/volume of sales for similar models. Proponents are asked to submit the model within the scale class that represents the best value to GPEI within their pricing structure.
5	Is there a required brightness level for the devices in question?	ITSS has performed no ambient lighting measurements on any previous deployments of TVs to the environments outlined in the tender document. Any standard consumer device is expected to meet the required brightness need.
6	Are proponents expected to provide installation services?	No, proponents will not be asked to provide installation services.

END OF ADDENDUM.

Please return this sheet with your formal bid proposal.