

1 ADDENDUM #2

All clauses set forth in the Bidding Documents, Contract Documents and General Requirements of the original Contract Documents shall apply to and govern this work. The addendum refers to changes and additions to the original Contract Documents and is to be read in conjunction with the same. All other parts of the original Contract Documents are to be considered as applying to the work of this Contract with the exceptions and changes as noted below.

1.1 SPECIFICATIONS

- .1 Reference Section 07 13 26 - Self-Adhering Sheet Waterproofing:
 - .1 Reference Paragraph 2.1.3:
 - .1 Add new paragraph .3 as follows:
".3 W.R. Meadows Mel-Rol".
- .2 Reference Section 07 46 19 - Steel Siding:
 - .1 Reference Paragraph 2.1.1.2:
 - .1 Delete wording "24 gauge" and replace with "UltraVic to be 28 gauge, SuperVic to be 26 gauge".
- .3 Reference Section 22 42 00 - Commercial Plumbing Fixtures:
 - .1 Reference Paragraph 1.5.2:
 - .1 Append the following: "Krowne".
- .4 Reference Section 22 42 01 - Plumbing Specialties and Accessories:
 - .1 Reference Paragraph 2.3.1.1:
 - .1 Append the following: "Mifab".
 - .2 Reference Paragraph 2.5.1.1.1:
 - .1 Append the following: "Beeco".
 - .3 Reference Paragraph 2.5.2.1:
 - .1 Append the following: "Beeco".
 - .4 Reference Paragraph 2.6.1.1:
 - .1 Append the following: "Mifab".
- .5 Reference Section 22 42 03 - Washroom Fixtures:
 - .1 Reference Paragraph 1.6.2:
 - .1 Append the following: "Krowne".
- .6 Reference Section 22 42 20.01 - Emergency Eye Wash Station:
 - .1 Reference Paragraph 2.2.3.1:
 - .1 Append the following: "Stingray".
- .7 Reference Section 23 84 13 - Humidifiers:
 - .1 Reference Paragraph 2.1.7:
 - .1 Append following word: "Pure".

1.2 DRAWINGS

- .1 Reference Drawing M200 - Heating Plan:
 - .1 Reference Air Conditioning Unit Schedule:
 - .1 Reference Remarks Column:
 - .1 Append following wording: "Approved equal: Johnson Controls Hitachi, Fujitsu, LG, Haier."
 - .2 Reference TAG AC-1/FC-1 and TAG AC-2/FC-2:
 - .1 Add following Note: "Unit shall have a ducted HSPF of 10.7, Ducted SEER 17.8."
- .2 Reference Drawing M300 - Ventilation Plan, Fan EF-1:
 - .1 Reference Exhaust Fan Schedule:
 - .1 Add approved equal: Twin City, Panasonic, Broan.
 - .2 Reference Louvre Schedule:
 - .1 Reference TAG L-1, L-2, L-3 and L-4, Make & Model Column:
 - .1 Add Approved Equal: Ruskin.
- .3 Reference Drawing E500 - Schematics & Schedules:
 - .1 Reference Luminaire Schedule:
 - .1 Reference Type A1:
 - .1 Delete the acceptable manufacturer "LITHONIA #EPANL 1X4 3000LM 80CRI 35K MIN10 ZT MVOLT" and replace with "LITHONIA #CPX 1X4 AL07 SSW7 M4 (MEDIUM SETTING)".
 - .2 Reference Type A2:
 - .1 Delete the acceptable manufacturer "LITHONIA #EPANL 1X4 4000LM 80CRI 35K MIN10 ZT MVOLT" and replace with "LITHONIA #CPX 1X4 AL07 SSW7 M4 (HIGH SETTING)".
 - .3 Reference Type A3:
 - .1 Delete the acceptable manufacturer "LITHONIA #EPANL 2X4 4000LM 80CRI 35K MIN10 ZT MVOLT" and replace with "LITHONIA #CPX 2X4 4000LM 35K M2 DGA24".
 - .4 Reference Type C1:
 - .1 Delete the acceptable manufacturer "LITHONIA #OWLX1 LED 20W 40K" and replace with "LITHONIA #WPX1 LED P1 40K MVOLT DBLXD".
 - .5 Reference Type C2:
 - .1 Remove the acceptable manufacturer "LITHONIA #KAWX LED P9 40K R3 MVOLT" and replace with "LITHONIA #WPX2 LED 40K MVOLT DBLXD".
 - .6 Reference Type C3:
 - .1 Remove the acceptable manufacturer "LITHONIA #DSXF3 LED 6 P1 40K FL 120" and replace with "LITHONIA #RSXF1 LED P3 40K WFL MVOLT IS DBLXD UBV".
 - .7 Reference Type D1:
 - .1 Delete the acceptable manufacturer "LITHONIA #IBG-15000LM-SEF-AFL-WD-120V-35K-80CRI-WH" and replace with "LITHONIA #CPHB 15000LM SEF GCL WD MVOLT GZ10 35K 80CRI DWH".
 - .8 Reference Type D2
 - .1 Delete the acceptable manufacturer "LITHONIA #IBG-12000LM-SEF-AFL-WD-120V-35K-80CRI-WH" and replace with

"LITHONIA #CPHB 12000LM SEF GCL WD MVOLT GZ10 35K
80CRI DWH".

1.3 APPENDICES

- .1 Reference Appendix 'D' - Material / Finish Schedule:
 - .1 Reference Tag MT-1:
 - .1 Revise colour from "Light Gray" to "Stone Grey".
 - .2 Reference Tag MT-2:
 - .1 Revise colour from "Green" to "Pacific Turquoise".

END OF SECTION