

Gender Confirming Surgery (GCS) is insured under PEI Medicare when prior authorization has been obtained from Health PEI.

Instructions

- A. This GCS application form must be completed to request prior approval for payment by Medicare.
- B. If completed manually, print clearly and ensure that all sections of this form are submitted.
- C. A PEI Physician or Nurse Practitioner must request out of province approval through the Medicare Claims system.
- D. The referring Physician or Nurse Practitioner submitting a request for prior authorization may be the provider completing a referral letter. They do not have to be a GCS trained physician or nurse practitioner, however they must have consulted a GCS trained Physician or Mental Health Professional that meet version 8 or the latest version of the World Professional Association for Transgender Health (WPATH) Standard of Care (as described in Appendix B).
- E. The assessments accompanying this application form must be completed by a Physician or Mental Health Professional that meet version 8 or the latest version of the World Professional Association for Transgender Health (WPATH) Standard of Care. Each GCS trained Physician or Mental Health Professional must fill out the declaration in Appendix D.
- F. Referral letter(s) recommending surgery must be completed by an appropriately trained Physician or Mental Health Professional who meets the WPATH minimum credentials (as described in Appendix B).
- G. Referring providers will be notified regarding the funding outcome of this application, and in cases of approval, are expected to forward referral information to the provider who will be preforming the procedure. Health PEI will also advise the provider of any funding approvals for GCS when the patient identifies the provider they have selected.
- H. For procedures only provided outside of Prince Edward Island Completed applications forms and attachments can be sent by mail or fax to:

Out-of-Province Coordinator

Health PEI

16 Garfield Street Charlottetown, PE C1A 7N8

Telephone: (902) 368-6516

Fax: (902) 569-0581



1. Patient Information			
Last name:			
	Middle name:		
Address:			
	Postal code:		
Phone number: ()	Date of birth (yyyy/mm/dd):		
Medicare Health Card #:	Expiry Date (yyyy/mm/dd):		
2. Complete Patient Declaration			
am a permanent resident of Prince Edward Is	sland.	☐ Yes	
am 18 years old. am registered with PEI Medicare and posses.	s a valid PEL Health Card	☐ Yes ☐ Yes	
	th professional has explained the risks and complications	☐ Yes	
associated with GCS	construction /AmanadiusC\ for the accuracy of CCC and		
· · · · · · · · · · · · · · · · · · ·	construction (Appendix C) for the purpose of GCS are ut of Province Coordinator of Health PEI. However, an	☐ Yes	
• • •	publicly funded if performed in a publicly funded		
nospital in Canada, preferably in PEI. understand that there is no public funding av	vailable for:	□ Yes	Пис
GCS services outside of Canada.		— 163	<u> П</u> .,,
	ent, meals, travel, accommodation and other personal		
expenses. have read and understand Health PEI's Out-out-out-out-out-out-out-out-out-out-o	of-Province Travel Support Program Policy and applicable.	☐ Yes	□ No
. Sign the certification and consent	—Patient		
I certify that the information given on this form			
	on collected on this form and the attached supporting documents osed without my consent unless required by law.	s will only l	be
Name (please print):			



Last	t name:	
Firs	t name:Provider	ID # :
Offi	ce Address:	
Pho	one number:Fax numl	ber:()
5.	Proposed procedure(s) for which prior approval is re	equested:
	ease check the procedure(s) for which prior approval is being rependix C):	equested (please refer to the complete list in
Che	est Surgery:	
	Masculinization of the torso or Mastectomy (excluding implants)	
	Feminization of the torso (including breast augmentation)	
Ger	nital Surgery:	
	Orchidectomy	
	Hysterectomy/bilateral salpingo- oophorectomy	
Ger	nital Reconstruction:	
	Metoidioplasty	
	Phalloplasty (Phase I)	
<u></u>	Phalloplasty (Phase II: Construction of the urethra)	
<u> </u>	Insertion of testicular implants	
	Insertion of penile implant	
	cial Feminization Surgery:	
	Facial Feminization Surgery	
Oth	ner Surgeries:	
	Vocal Surgery	
C	omplete Physician/Nurse Practitioner Declaration	
	verified that the patient meets all of the general criteria for G	rcs.
ave	The patient is a permanent resident of PEI.	☐ Yes ☐ No
•		
•	I am a "qualified health professional" as described by the WPATH	
•	I am acting as the referring physician/NP for this patient and I ha health professionals as described by the WPATH Standard of Car referral letter for this patient.	ve consulted qualified
MAI	RY CLINICAL CRITERIA:	
าลงย	e verified that the patient has:	
	Persistent, well-documented gender incongruence	☐ Yes ☐No





	,	<u> </u>		
0	Understands the procedure/s		□ Yes	□ No
0	Understands associated risk/s and complications		□ Yes	
0	Has an aftercare / follow-up plan		□ Yes	
0	Reasonably well controlled medical or mental health concerns, if they are present		□ Yes	□ No
SPECIFI	C CLINICAL CRITERIA:			
	al Surgery: dectomy			
•	The patient has a referral letter signed by a GCS trained and qualified physician or ne practitioner (Appendix B).	urse	□ Ye	es 🗆 No
•	The patient is stable on their gender affirming hormonal treatment regime (which include at least 6 months of hormone treatment or a longer period if required to achieve the desired surgical result, unless hormone therapy is either not desired or medically contraindicated). [Recommended, not required.]	-	□ Y€	es 🗆 No
•	The patient has reached 18 years of age.		□ Ye	es 🗆 No
Vagin	tal Reconstruction: hoplasty (with or without vaginal cavity), Metoidioplasty, Phalloplasty (Phase II and II) cular implants, Insertion of penile implant), Inse	rtion of	:
•	The referral letter must be from a GCS trained and qualified physician or nurse practitioner.		□ Yes	□No
•	The patient is stable on their gender affirming hormonal treatment regime (which may include at least 6 months of hormone treatment or a longer period if required achieve the desired surgical result, unless hormone therapy is either not desired or medically contraindicated). [Recommended, not required.]		□ Yes	□No
•	The patient has reached 18 years of age.		□ Yes	□ No
ADDI	TIONAL CLINICAL CRITERIA: The patient is physically fit and has no significant physical health problems that wo	vuld.	Пνο	s 🗆 No
•	contraindicate or complicate the proposed surgery	iuiu		
•	The patient is psychologically prepared for surgery.		_	s □ No
•	The patient is informed of and understands any alternative procedures.			s 🗆 No
•	The patient has engaged in a responsible way with the assessment/treatment proc			s 🗆 No
•	The patient has an adequate support network, a stable lifestyle and the gender ide of the individual has remained stable over time.	entity	⊔ Ye:	s □ No
7. Inform patient of Out of Province Travel Support Programs				
I have	reviewed the Health PEI Out of Province Travel Support Programs with the patient.		□ Ye	es 🗆 No



8. Attach supporting documents:

,			
	Required attachment(s):	Attache	
	 One supporting referral letter signed by a GCS trained and qualified physician or nurse practitioner 	☐ Yes	LI NO
	 Proof of training from the consulting physician / NP or signed declaration (Appendix D) that confirms that the referent has training in the area of GCS or gender incongruence (may be included in the referral letter itself). 	☐ Yes	
	 Report from physician /NP who has been prescribing and supervising the hormone replacement therapy (HRT) as applicable. 	☐ Yes	□ No
	 Operative reports of the patient's prior GCS and/or treatment (For phalloplasty and metoidioplasty an operative and pathology report showing a hysterectomy and that the entire cervix has been removed is required) as applicable 	☐ Yes	□No
9.	. Certification and recommendation signature		
	I certify that the information given on this form is complete and accurate		
	I recommend this client for gender confirming surgery		
	Name (please print):		
	Signature:Date:		
	For Health PEI Staff Use Only:		
	Authorized Signature:: Date:		



APPENDIX A: SUMMARY CRITERIA FOR HORMONAL AND SURGICAL TREATMENTS FOR ADULTS AND ADOLESCENTS (WPATH SOC 8) (Source:

https://www.tandfonline.com/doi/pdf/10.1080/26895269.2022.2100644)

5256 (E. COLEMAN ET AL.

Appendix D SUMMARY CRITERIA FOR HORMONAL AND SURGICAL TREATMENTS FOR ADULTS AND ADOLESCENTS

The SOC-8 guidelines are intended to be flexible in order to meet the diverse health care needs of TGD people globally. While adaptable, they offer consensus-based standards derived from the best available scientific evidence for promoting optimal health care and guiding the treatment of people experiencing gender incongruence. As in all previous versions of the SOC, the criteria put forth in this document for gender affirming interventions are clinical guidelines; individual health care professionals and programs, in consultation with the TGD person, may modify them. Clinical departures from the SOC may occur due to a TGD person's unique anatomic, social, or psychological situation; an experienced health care professional's evolving method of handling a common situation; a research protocol; lack of resources in various parts of the world; or the need for specific harm-reduction strategies. These departures should be recognized as such, discussed with the TGD person, and documented. This documentation is also valuable for the accumulation of new data, which can be retrospectively examined to allow for health care-and the SOC-to evolve. This summary criteria needs to be read in conjunction with the relevant chapters (see Adult Assessment and Adolescent chapters).

SUMMARY CRITERIA FOR ADULTS

Related to the assessment process

- Health care professionals assessing transgender and gender diverse adults seeking gender-affirming treatment should liaise with professionals from different disciplines within the field of trans health for consultation and referral, if required*
- If written documentation or a letter is required to recommend gender affirming medical and surgical treatment (GAMST), only one letter of assessment from a health care professional who has competencies in the assessment of transgender and gender diverse people is needed.

Criteria for hormones

- a. Gender incongruence is marked and sustained;
- Meets diagnostic criteria for gender incongruence prior to gender-affirming hormone treatment in regions where a diagnosis is necessary to access health care;
- Demonstrates capacity to consent for the specific gender-affirming hormone treatment;
- d. Other possible causes of apparent gender incongruence have been identified and excluded;
- Mental health and physical conditions that could negatively impact the outcome of treatment have been assessed, with risks and benefits discussed:
- f. Understands the effect of gender-affirming hormone treatment on reproduction and they have explored reproductive options.

Criteria for surgery

- a. Gender incongruence is marked and sustained;
- Meets diagnostic criteria for gender incongruence prior to gender-affirming surgical intervention in regions where a diagnosis is necessary to access health care;
- Demonstrates capacity to consent for the specific gender-affirming surgical intervention;
- Understands the effect of gender-affirming surgical intervention on reproduction and they have explored reproductive options;
- Other possible causes of apparent gender incongruence have been identified and excluded;
- Mental health and physical conditions that could negatively impact the outcome of gender-affirming surgical intervention have been assessed, with risks and benefits have been discussed;
- g. Stable on their gender affirming hormonal treatment regime (which may include at least 6 months of hormone treatment or a longer period if required to achieve the desired surgical result, unless hormone therapy is either not desired or is medically contraindicated).*

*These were graded as suggested criteria



APPENDIX B: Minimum credentials of providers who are qualified to complete the GCS Prior Approval Request Form and/or a referral letter.

Statements of Recommendations 5.1- Source WPATH SOC 8 (https://www.tandfonline.com/doi/pdf/10.1080/26895269.2022.2100644)

We recommend health care professionals assessing transgender and gender diverse adults for physical treatments:

- 5.1.a- Are licensed by their statutory body and hold, at a minimum, a master's degree or equivalent training in a clinical field relevant to this role and granted by a nationally accredited statutory institution.
- 5.1.b- For countries requiring a diagnosis for access to care, the health care professional should be competent using the latest edition of the World Health Organization's International Classification of Diseases (ICD) for diagnosis. In countries that have not implemented the latest ICD, other taxonomies may be used; efforts should be undertaken to utilize the latest ICD as soon as practicable.
- 5.1.c- Are able to identify co-existing mental health or other psychosocial concerns and distinguish these from gender dysphoria, incongruence, and diversity.
- 5.1.d- Are able to assess capacity to consent for treatment.
- 5.1.e- Have experience or be qualified to assess clinical aspects of gender dysphoria, incongruence, and diversity.
- 5.1.f- Undergo continuing education in health care relating to gender dysphoria, incongruence, and diversity.
- 5.2- We suggest health care professionals assessing transgender and gender diverse adults seeking gender-affirming treatment liaise with professionals from different disciplines within the field of transgender health for consultation and referral, if required. The following recommendations are made regarding the requirements for gender-affirming medical and surgical treatment (all should be met):
- 5.3- We recommend health care professionals assessing transgender and gender diverse adults for gender-affirming medical and surgical treatment:
- 5.3.a- Only recommend gender-affirming medical treatment requested by a TGD person when the experience of gender incongruence is marked and sustained.
- 5.3.b- Ensure fulfillment of diagnostic criteria prior to initiating gender-affirming treatments in regions where a diagnosis is necessary to access health care.



- 5.3.c- Identify and exclude other possible causes of apparent gender incongruence prior to the initiation of gender-affirming treatments.
- 5.3.d- Ensure that any mental health conditions that could negatively impact the outcome of gender-affirming medical treatments are assessed, with risks and benefits discussed, before a decision is made regarding treatment.
- 5.3.e- Ensure any physical health conditions that could negatively impact the outcome of gender-affirming medical treatments are assessed, with risks and benefits discussed, before a decision is made regarding treatment.
- 5.3.f- Assess the capacity to consent for the specific physical treatment prior to the initiation of this treatment.
- 5.3.g- Assess the capacity of the gender diverse and transgender adult to understand the effect of gender-affirming treatment on reproduction and explore reproductive options with the individual prior to the initiation of gender-affirming treatment.
- 5.4- We suggest, as part of the assessment for gender-affirming hormonal or surgical treatment, professionals who have competencies in the assessment of transgender and gender diverse people wishing gender-related medical treatment consider the role of social transition together with the individual.
- 5.5- We recommend transgender and gender diverse adults who fulfill the criteria for gender-affirming medical and surgical treatment require a single opinion for the initiation of this treatment from a professional who has competencies in the assessment of transgender and gender diverse people wishing gender-related medical and surgical treatment.
- 5.6- We suggest health care professionals assessing transgender and gender diverse people seeking gonadectomy consider a minimum of 6 months of hormone therapy as appropriate to the TGD person's gender goals before the TGD person undergoes irreversible surgical intervention (unless hormones are not clinically indicated for the individual).
- 5.7- We recommend health care professionals assessing adults who wish to de-transition and seek gender-related hormone intervention, surgical intervention, or both, utilize a comprehensive multidisciplinary assessment that will include additional viewpoints from experienced health care professional in transgender health and that considers, together with the individual, the role of social transition as part of the assessment process.



APPENDIX C: List of Procedures in Gender Confirming Surgery

- (a) Chest Surgery:
 - Masculinization of the chest or Mastectomy as clinically indicated
 - Feminization of the chest or Breast Augmentation as clinically indicated
- (b) Genital Surgery:
 - Orchidectomy (can be performed as a solo procedure if no vaginoplasty is intended in the future).
 - Hysterectomy with bilateral salpingo- oophorectomy
- (c) Genital Reconstruction:
 - Vaginoplasty with vaginal cavity
 - Vaginoplasty without vaginal cavity
 - Metoidioplasty
 - Phalloplasty (Phase I)
 - Phalloplasty (Phase II)
 - Urethroplasty
 - Insertion of testicular implants
 - Insertion of penile implant
- (d) Facial feminization surgery
- (e) Vocal Surgery

From: Health PEI Gender-Affirming Procedure Approval Policy (2023)



APPENDIX D: Signed Declaration

I declare includes:	hat I obtained training in the area of Gender Confirming Surgery or Gender Dysphoria. My training
mee Sem Supe Part dysp	nding relevant professional ings Workshops nars rvision from a mental health professional with relevant experience cipating in research related to gender non-conformity and gender horia r:
Name (pl	ease print):
Signature	Date: