

AMBULANCE SERVICES ACT GENERAL REGULATIONS

PLEASE NOTE

This document, prepared by the *Legislative Counsel Office*, is an office consolidation of this regulation, current to October 29, 2022. It is intended for information and reference purposes only.

This document is *not* the official version of these regulations. The regulations and the amendments printed in the *Royal Gazette* should be consulted on the Prince Edward Island Government web site to determine the authoritative text of these regulations.

For more information concerning the history of these regulations, please see the *Table of Regulations* on the Prince Edward Island Government web site (www.princeedwardisland.ca).

If you find any errors or omissions in this consolidation, please contact:

Legislative Counsel Office Tel: (902) 368-4292

Email: legislation@gov.pe.ca



AMBULANCE SERVICES ACT Chapter A-10.01

GENERAL REGULATIONS

Pursuant to section 23 of the *Ambulance Services Act* R.S.P.E.I. 1988, Cap. A-10.01, Council made the following regulations:

Application

1. Application of regulations

The requirements and standards in these regulations apply in respect of every ambulance that is used or intended to be used to provide ambulance services in the province, except an ambulance based outside the province that is used to provide for the inter-provincial transportation of patients. (EC530/13)

Classes of Ambulance

1.1 Classes of ambulance

(1) There are hereby established two classes of ambulance, namely, class 1 and class 2.

Use of class 1 ambulance

(2) A class 1 ambulance may be used to provide any and all ambulance services to any and all patients.

Use of class 2 ambulance

- (3) A class 2 ambulance may be used to provide ambulance services in the form of transportation, to or from a health facility, of a patient who has been judged by a medical practitioner to require, while being transported,
 - (a) the care or supervision of a medical practitioner, a registered nurse or an emergency medical technician; or
 - (b) the use of a stretcher. (EC785/22)

Staffing of an Ambulance

2. Staff, class 1 ambulance

(1) A class 1 ambulance shall be staffed by at least two emergency medical technicians.

Staff, class 2 ambulance

(1.1) A class 2 ambulance shall be staffed by at least two persons, one of whom shall be an emergency medical technician.

Staff attending patient

- When transporting a patient by ambulance, at least one emergency medical technician shall ride in the patient section of the ambulance to attend to the patient, except where
 - (a) medical or nursing personnel are in the patient section attending to the patient; and
 - (b) space limitations prevent an emergency medical technician from riding in the patient section with the medical or nursing personnel. (EC530/13; 785/22)

Vehicle Safety and Design

3. Safety of vehicle

- (1) An ambulance shall be
 - (a) registered and inspected in accordance with the *Highway Traffic Act* R.S.P.E.I. 1988, Cap. H-5, as evidenced by the motor vehicle registration and the inspection certificate carried in the ambulance;
 - (b) maintained in good mechanical condition and repair; and
 - (c) cleaned, disinfected and decontaminated to prevent the spread of communicable diseases.

Design requirements

(2) The vehicle design requirements for an ambulance are set out in Schedule A. (EC530/13)

Equipment and Supplies

4. Vehicle equipment

- (1) The following vehicle equipment shall be carried in an ambulance:
 - (a) a two-way radio or mobile phone;
 - (b) at least two battery-operated flashlights;
 - (c) a properly maintained dry chemical fire extinguisher of a type approved by the Fire Marshal appointed pursuant to the *Fire Prevention Act* R.S.P.E.I. 1988, Cap. F-11.

Patient care equipment and supplies

(2) The patient care equipment and supplies set out in Schedule B for a class 1 ambulance or a class 2 ambulance, respectively, shall be carried in an ambulance of the applicable class. (EC530/13; 785/22)

Current to: October 29, 2022

5. Uncontrolled movement

(1) All equipment and supplies carried in an ambulance shall be properly stored and secured to prevent uncontrolled movement.

Safety of equipment

- (2) All equipment carried in an ambulance shall
 - (a) meet any standards established by the Canadian Standards Association (CSA) for such equipment, as indicated by a mark or stamp of CSA approval;
 - (b) be maintained and calibrated in accordance with any recommendations of the manufacturer; and
 - (c) be cleaned, disinfected and decontaminated to prevent the spread of communicable diseases.

Approved uses

(3) No person shall use equipment carried in an ambulance for purposes, or under conditions, other than those approved by the manufacturer for that equipment. (EC530/13)

Use of Ambulance

6. Transportation of human remains

An ambulance shall not be used for the transportation of human remains unless prior approval has been obtained from a coroner appointed under the *Coroners Act* R.S.P.E.I. 1988, Cap. C-25.1. (EC530/13)

Patient Call Reports

Current to: October 29, 2022

7. Retention of patient call reports

For the purposes of clause 15(3)(b) of the Act, an operator shall retain a patient call report for 7 years. (EC530/13)



SCHEDULE A

AMBULANCE DESIGN REQUIREMENTS

CLASS 1 AMBULANCE

- 1. A class 1 ambulance shall provide for
 - (a) ready access between the driver and patient sections;
 - (b) entry by rear doors to permit ready loading of a stretcher patient; and
 - (c) entry by a curbside door to permit ready loading of an ambulatory patient, with antislip covering on any steps.
- 2. The rear doors of a class 1 ambulance shall not contain windows that open.
- 3. The patient section of a class 1 ambulance shall accommodate
 - (a) at least one stretcher patient; and
 - (b) at least two seated persons who are attending to the patient, with headroom sufficient for the provision of care from a seated position.
- **4.** (1) A class 1 ambulance shall be equipped with a floor-mounted or wall-mounted assembly to secure a wheeled, adjustable-height stretcher.
- (2) The stretcher assembly shall be reinforced so as to transmit stresses to the main body of the vehicle.
- (3) The stretcher assembly shall be positioned to allow free working space at the foot and head of the stretcher.
- 5. A class 1 ambulance shall be equipped with
 - (a) fasteners or holders designed to securely fasten and transport an incubator;
 - (b) at least two attendant seats with headrests, facing toward the rear, and positioned by the head of the stretcher;
 - (c) a restraint belt for each patient and attendant;
 - (d) overhead hooks for use with intravenous treatment;
 - (e) readily accessible storage for all required patient care supplies and equipment; and
 - (f) a siren, with controls readily accessible to the driver.
- **6.** The interior surfaces of a class 1 ambulance shall be easily washable and free from sharp edges.
- 7. A class 1 ambulance shall be insulated and have a system of heating and cooling or ventilation that allows for keeping the patient section approximately at ordinary room temperature.
- **8.** A class 1 ambulance shall be equipped with the following lighting:
 - (a) a map light in the driver section;
 - (b) at least two interior lights, located on each side of the patient section, controlled by independent switches to permit dimming of individual lights;
 - (c) lighting to illuminate the rear entry when the doors are opened and when the transmission is in reverse gear;
 - (d) lighting to illuminate the side step entry when the door is opened;

- (e) a red, red and white, or red, white and blue, rotating light or strobe light, mounted on the roof, which is visible within 150 metres from the front and rear of the vehicle;
- (f) two red flashing lights on the grill or front face of the vehicle;
- (g) an intersection light mounted on the side of each front fender;
- (h) a clear ditch light, either mounted on the vehicle or hand-held, sufficient to illuminate a work site or house number at a distance of 15 metres.
- **9.** (1) The interior of a class 1 ambulance shall be painted and furnished in soft colours.
- (2) The exterior of a class 1 ambulance shall be painted predominantly white, cream or yellow.
- 10. The exterior of a class 1 ambulance shall display the word "AMBULANCE" on reflective decals, written in block letters at least 12.5 cm in height, on the rear and both sides of the vehicle, and on the front in reverse printing so as to be readable in a mirror.

CLASS 2 AMBULANCE

- 1. A class 2 ambulance shall provide for
 - (a) ready access between the driver and patient sections;
 - (b) entry by rear doors or a curbside door to permit ready loading of a stretcher patient; and
 - (c) entry by a curbside door to permit ready loading of an ambulatory patient, with antislip covering on any steps.
- **2.** The rear doors, if any, of a class 2 ambulance shall not contain windows that open.
- **3.** A class 2 ambulance shall accommodate
 - (a) at least one stretcher patient and at least one seated patient; and
 - (b) at least one seated person who is caring for or supervising the patients, with headroom sufficient to do so from a seated position.
- **4.** (1) A class 2 ambulance shall be equipped with floor-mounted or wall-mounted assemblies to secure at least one wheeled, adjustable-height stretcher, at least one wheelchair and other mobility devices.
- (2) The assemblies shall be reinforced so as to transmit stresses to the main body of the vehicle.
- (3) The stretcher assembly shall be positioned to allow free working space at the foot and head of the stretcher.
- 5. A class 2 ambulance shall be equipped with
 - (a) at least one attendant seat with a headrest;
 - (b) a restraint belt for each patient and attendant;
 - (c) overhead hooks for use with intravenous treatment; and
 - (d) readily accessible storage for all required patient care supplies and equipment.
- 6. The interior surfaces of a class 2 ambulance shall be easily washable and free from sharp edges.
- 7. A class 2 ambulance shall be insulated and have a system of heating and cooling or ventilation that allows for keeping the patient section approximately at ordinary room temperature.
- **8.** A class 2 ambulance shall be equipped with the following lighting:
 - (a) a map light in the driver section;

- (b) at least two interior lights, located on each side of the patient section, controlled by independent switches to permit dimming of individual lights;
- (c) lighting to illuminate the rear entry, if any, when the doors are opened and when the transmission is in reverse gear;
- (d) lighting to illuminate the curbside entry when the door is opened;
- (e) a clear ditch light, either mounted on the vehicle or hand-held, sufficient to illuminate a work site or house number at a distance of 15 metres.
- **9.** (1) The interior of a class 2 ambulance shall be painted and furnished in soft colours.
- (2) The exterior of a class 2 ambulance shall be painted predominantly white, cream or yellow.
- 10. The exterior of a class 2 ambulance shall display the word "AMBULANCE" on reflective decals, written in block letters at least 12.5 cm in height, on the rear and both sides of the vehicle, and on the front in reverse printing so as to be readable in a mirror.

Current to: October 29, 2022

(530/13; 78522)



SCHEDULE B

PATIENT CARE EQUIPMENT AND SUPPLIES

Pat	ient Care Equipment and Supplies	Class 1	Class 2
	• • • •	Minimum Number	Minimum Number
		or Amount	or Amount
1.	Standard, adjustable-height stretcher	1	1
2.	Pedi-mate paediatric transport device	1	
3.	Stair chair	1	1
4.	Semi-rigid, collapsible stretcher	1	
5.	Standard-sized backboard	1	
6.	Kendrick extrication device	1	
7.	Head immobilization device	1	
8.	Backboard quick adjustable clips (body immobilization straps)	1 set of 4	
9.	Semi-rigid, adjustable cervical collars	1 adult size	
	Tigra, adjustacio cor rivar corrars	1 paediatric size	
10.	Bedding and linen, as follows:	1 pacaratric size	
	(a) blankets	2	2 x patient capacity
	(b) bed sheets	2	2 x patient capacity
	(c) pillows	2	2 x patient capacity
	(d) pillow cases	2	2 x patient capacity
	(e) impermeable protective mattress covers	2	2 x patient capacity 2 x patient capacity
11	Assorted bandages and sterile dressings, including:	<u> </u>	2 x patient capacity
11.	(a) 4 x 4 sterile gauze pads	12	12
	(b) abdominal pads	6	12 6
	(c) Kling rolled bandages, 4-inch		
	(d) non-stick (Telfa) dressing	2 3	2 3
12	Roll of adhesive tape	1	1
	Trauma shears	1	1
	Triangular slings	3	3
	Sterile burn kit	1	1
	Oxygen tanks, with minimum 15 litres per minute regulator, as follows:	1	Either (a) or (b)
	(a) large tank (M size or equivalent), maintained at not less than 500 psi	1	1
	(b) small (D or E) portable tanks, maintained at not less than 500 psi	2	1 x patient capacity
17.	Nebulizer masks	1 adult size	1 adult size
		1 paediatric size	1 paediatric size
18.	Nasal cannulas	1 adult size	1 adult size
		1 paediatric size	1 paediatric size
19.	Non-rebreather masks	1 adult size	1 adult size
		1 paediatric size	1 paediatric size
20.	Bag-valve-mask (BVM) devices with intrinsic PEEP valve/external PEEP accessory, as follows:		
	(a) adult-sized with 2 adult-sized masks	1	1
	(b) child-sized with 1 child-sized mask	1	1
	(c) infant-sized with 1 infant-sized mask	1	1
21.	Adult CPAP delivery device	1	-

Current to: October 29, 2022

Minimum Number or Amount 22. Suction apparatus with single service tips, as follows:	Patient Care Equipment and Supplies	Class 1	Class 2
22. Suction apparatus with single service tips, as follows: (a) electrically operated and stationary 1		Minimum Number	Minimum Number
(a) electrically operated and stationary (b) portable (c) portable (d) portable (e) portable (e) portable (e) portable (e) Austion catheters (sizes 12fr to 16fr) (e) Portable (e) Atomic and the stationary (e) Portable (e) Atomic (150 mg/ml) (e) Atomic (150 mg/ml) (f) Diazepam (Valium) (10 mg/2 ml) (g) Dextrose 59% exter (DSW) (100 ml) (h) Dipampine (11 mg/l) ml) (c) Fursor (11 mg/l) ml) (d) Gincapin (10 mg/ml) (e) Prosomide (Lasix) (10 mg/ml) (e) Prosomide (Lasix) (10 mg/ml) (e) Ipartizipe (Lasix) (10 mg/ml) (f) Prosomide (Lasix) (10 mg/ml) (g) Gilmappine (Atrovent) (g) Gilmappine (Lasix) (10 mg/ml) (h) Departizipe (Lasix) (10 mg/ml) (g) Gilmappine (Lasix) (10 mg/ml) (h) Departizipe (Lasix) (10 mg/ml) (g) Gilmappine (Lasix) (10 mg/ml) (h) Departizipe (Lasix) (10 mg/ml) (g) Gilmappine (Lasix) (10 mg/ml) (h) Departizipe (Lasix) (10 mg/ml) (h) Departi		or Amount	or Amount
Characteristics			
23. Yankeur suction device	. , , , , , , , , , , , , , , , , , , ,	1	
24. Suction catheters (sizes 12fr to 16fr)		1	1
25. Suction tubing		1	1
26. Oropharyngeal airways (sizes 3 to 10)		1 per size	1 per size
27. Nasopharyngeal airways (sizes 12 to 30)		4	2
28. King LT supraglottic airways (sizes 3 to 5) 1 per size 1 per size 29. Colormetric end tidal C02 device 1 1 30. Endotracheal tubes (sizes 3 to 8.5) 1 per size 1 31. Positube esophageal detection device 1 1 32. Bougie 1 1 adult size 33. Cricothyrotomy kits 1 adult size 1 paediatric size 34. Stylets 1 adult size 1 paediatric size 35. Stethoscope 1 1 1 36. Sphygmomanometer, with infant-sized, pediatric-sized, adult-sized, and large adult-sized cuffs 1 1 1 37. Medications, as follows: 1 2 2 2 <t< td=""><td></td><td>1 per size</td><td>1 per size</td></t<>		1 per size	1 per size
29. Colormetric end tidal CO2 device 1 1 1 1 1 30. Endotracheal tubes (sizes 3 to 8.5) 1 per size 31. Positube esophageal detection device 1 1 32. Bougie 1 1 33. Cricothyrotomy kits 1 adult size 1 paediatric size 34. Stylets 1 adult size 1 paediatric size 35. Stethoscope 1 1 1 1 1 1 1 1 1		1 per size	1 per size
30. Endotracheal tubes (sizes 3 to 8.5) 1 per size 31. Positube esophageal detection device 1 32. Bougie 1 33. Cricothyrotomy kits 1 adult size 1 paediatric size 34. Stylets 1 adult size 1 paediatric size 35. Stethoscope 1 1 1 1 1 1 1 1 1		1 per size	1 per size
31. Positube esophageal detection device 1	29. Colormetric end tidal C02 device	1	1
32. Bougie 1 1 adult size 1	30. Endotracheal tubes (sizes 3 to 8.5)	1 per size	
33. Cricothyrotomy kits	31. Positube esophageal detection device	1	
1 paediatric size 1 adult size 1 paediatric size 1 adult size 1 paediatric size 1 paediatric size 1 paediatric size 1 paediatric size 1 1 1 1 1 1 1 1 1	32. Bougie	1	
1 adult size 1 paediatric size 35. Stethoscope 1 1 1 1 1 1 1 1 1	33. Cricothyrotomy kits	1 adult size	
1 paediatric size 35. Stethoscope 1 1 1 1 1 1 1 1 1		1 paediatric size	
1	34. Stylets	1 adult size	
36. Sphygmomanometer, with infant-sized, pediatric-sized, adult-sized, and large adult-sized cuffs 1		1 paediatric size	
Sized, adult-sized, and large adult-sized cuffs 37. Medications, as follows:		1	1
37. Medications, as follows: (a) Acetaminophen (325 mg/tablet) 10 10 10 (b) Acetylsalicyclic Acid (ASA) (a) (81 mg/tablet) 10 10 (c) Adenosine (3 mg/ml) 5 boxes - injection or vials (d) Amiodarone (150 mg/3 ml) 5 vials (e) Atropine (1 mg/10 ml) 2 boxes - injection (f) Bicarb (Sodium Bicarbonate) (1) (50 meq/50 ml) 1 box - injection (g) Dextrose 5% water (D5W) (100ml) 1 bag 1 bag (h) Dextrose 50% (25 g/50 ml) 2 boxes - injection (i) Diazepam (Valium) (10 mg/2 ml) 2 vials (j) Dimenhydriante (Gravol) (1) (50 mg/ml) 2 vials 2 vials or ampules (l) (50 mg/ml) 1 bag (pre-mixed) (k) Diphenhydramine (Benadryl) 2 vials 2 vials (l) Dopamine (500 ml) 1 bag (pre-mixed) (m) Epinephrine (Adrenaline) 1:1,000 (1) (1 mg/l0 ml) 6 boxes - injection (l) (1 mg/ml) 2 vials (o) Fentanyl (100 mcg/2 ml) 2 ampules (p) Furosemide (Lasix) (10 mg/ml) 2 vials (q) Glucagon (1 mg) 2 vials 2 vials/kit 2 vials/kit (r) Haloperidol (Haldol) (5 mg/ml) 1 vial 2 aerosol inhalers; 1 single-use meter dose inhaler dose inhaler		1	1
(a) Acetaminophen (325 mg/tablet) (b) Acetylsalicyclic Acid (ASA) (a) (81 mg/tablet) (c) Adenosine (3 mg/ml) (d) Amiodarone (150 mg/3 ml) (e) Atropine (1 mg/10 ml) (f) Bicarb (Sodium Bicarbonate) (1) (50 meq/50 ml) (g) Dextrose 5% water (D5W) (100ml) (i) Diazepam (Valium) (10 mg/2 ml) (j) Dimenhydrinate (Gravol) (1) (50 mg/ml) (k) Diphenhydramine (Benadryl) (1) (50 mg/ml) (l) Dopamine (500 ml) (m) Epinephrine (Adrenaline) 1:10,000 (1) (1 mg/10 ml) (2) Furosemide (Lasix) (10 mg/ml) (2) Furosemide (Lasix) (10 mg/ml) (32 mg/ml) (4) Pirosemide (Lasix) (10 mg/ml) (5) Furosemide (Lasix) (10 mg/ml) (6) Furosemide (Lasix) (10 mg/ml) (7) Furopermide (Haldol) (5 mg/ml) (8) Ipratropium (Atrovent) (9) Furosemide (Lasix) (10 mg/ml) (10) Furopimende (Lasix) (10 mg/ml) (11) Campler (Lasix) (10 mg/ml) (2) Vials (3) Campules (4) Glucagon (1 mg) (5) Ipratropium (Atrovent) (6) Ipratropium (Atrovent) (7) Lingle-use meter dose inhaler (8) Lingle-use meter dose inhaler	37. Medications, as follows:		
(b) Acetylsalicyclic Acid (ASA)		10	10
(c) Adenosine (3 mg/ml) (d) Amiodarone (150 mg/3 ml) (e) Atropine (1 mg/10 ml) (f) Bicarb (Sodium Bicarbonate) (1) (50 meq/50 ml) (g) Dextrose 5% water (D5W) (100ml) (i) Diazepam (Valium) (10 mg/2 ml) (j) Dimenhydrinate (Gravol) (1) (50 mg/ml) (k) Diphenhydramine (Benadryl) (1) (50 mg/ml) (l) Dopamine (500 ml) (l) Dopamine (500 ml) (l) Depherine (Adrenaline) 1:10,000 (1) (1 mg/10 ml) (n) Epinephrine (Adrenaline) 1:1,000 (1) (1 mg/ml) (o) Fentanyl (100 mcg/2 ml) (q) Glucagon (1 mg) (s) Ipratropium (Atrovent) (s) Ipratropium (Atrovent) (s) Ipratropium (Atrovent) (s) Ipratropium (Atrovent) (c) Atropind Souas - injection (d) Lasix (10 mg/ml) (e) Atropind (10 mg/2 ml) (f) Boxes - injection (has (1) (1 mg/ml) (has (1) (1 mg/ml) ((b) Acetylsalicyclic Acid (ASA)		
injection or vials		5 hoves	
(d) Amiodarone (150 mg/3 ml) 5 vials (e) Atropine (1 mg/10 ml) 2 boxes - injection (f) Bicarb (Sodium Bicarbonate) 1 box - injection (1) (50 meq/50 ml) 1 bag (g) Dextrose 5% water (D5W) (100ml) 1 bag (h) Dextrose 50% (25 g/50 ml) 2 boxes - injection (i) Diazepam (Valium) (10 mg/2 ml) 2 vials (j) Dimenhydrinate (Gravol) 2 vials or ampules (l) (50 mg/ml) 2 vials or ampules (k) Diphenhydramine (Benadryl) 2 vials (l) (50 mg/ml) 2 vials (l) (50 mg/ml) 1 bag (pre-mixed) (m) Epinephrine (Adrenaline) 1:10,000 6 boxes - injection (l) (1 mg/10 ml) 6 ampules (n) Epinephrine (Adrenaline) 1:1,000 6 ampules (n) Epinephrine (Adrenaline) 1:1,000 6 ampules (n) Fentanyl (100 mcg/2 ml) 2 ampules (p) Furosemide (Lasix) (10 mg/ml) 2 vials (q) Glucagon (1 mg) 2 vials/kit 2 vials/kit (r) Haloperidol (Haldol) (5 mg/ml) 1 vial (s) Ipratropium (Atrovent) 2 aerosol inhalers; 1 single-use meter dose inhaler <td>(e) recomme (s mg/m)</td> <td></td> <td></td>	(e) recomme (s mg/m)		
(e) Atropine (1 mg/10 ml) 2 boxes - injection (f) Bicarb (Sodium Bicarbonate) 1 box - injection (1) (50 meq/50 ml) 1 box - injection (g) Dextrose 5% water (D5W) (100ml) 1 bag 1 bag (h) Dextrose 50% (25 g/50 ml) 2 boxes - injection 2 boxes - injection (i) Diazepam (Valium) (10 mg/2 ml) 2 vials 2 vials or ampules (j) Dimenhydrinate (Gravol) 2 vials or ampules 2 vials or ampules (k) Diphenhydramine (Benadryl) 2 vials 2 vials (l) (50 mg/ml) 2 vials 2 vials (l) (50 mg/ml) 1 bag (pre-mixed) (m) Epinephrine (Adrenaline) 1:10,000 6 boxes - injection (l) (1 mg/10 ml) 6 ampules 6 ampules (n) Epinephrine (Adrenaline) 1:1,000 6 ampules 6 ampules (n) Fentanyl (100 mcg/2 ml) 2 ampules (p) Furosemide (Lasix) (10 mg/ml) 2 vials/kit 2 vials/kit (q) Glucagon (1 mg) 2 vials/kit 2 vials/kit (r) Haloperidol (Haldol) (5 mg/ml) 1 vial (s) Ipratropium (Atrovent) 2 aerosol inhalers; 1 single-use meter dose inhaler	(d) Amiodarone (150 mg/3 ml)		
(f) Bicarb (Sodium Bicarbonate) 1 box - injection (g) Dextrose 5% water (D5W) (100ml) 1 bag 1 bag (h) Dextrose 50% (25 g/50 ml) 2 boxes - injection 2 boxes - injection (i) Diazepam (Valium) (10 mg/2 ml) 2 vials 2 vials or ampules (j) Dimenhydrinate (Gravol) 2 vials or ampules 2 vials or ampules (k) Diphenhydramine (Benadryl) 2 vials 2 vials (l) (50 mg/ml) 2 vials (pre-mixed) (m) Epinephrine (Adrenaline) 1:10,000 6 boxes - injection (l) (1 mg/10 ml) 6 ampules (n) Epinephrine (Adrenaline) 1:1,000 6 ampules (l) (1 mg/ml) 2 ampules (o) Fentanyl (100 mcg/2 ml) 2 ampules (p) Furosemide (Lasix) (10 mg/ml) 2 vials/kit 2 vials/kit (q) Glucagon (1 mg) 2 vials/kit 2 vials/kit (r) Haloperidol (Haldol) (5 mg/ml) 1 vial (s) Ipratropium (Atrovent) 2 aerosol inhalers; 1 single-use meter dose inhaler			
(1) (50 meq/50 ml) (g) Dextrose 5% water (D5W) (100ml) (h) Dextrose 50% (25 g/50 ml) (i) Diazepam (Valium) (10 mg/2 ml) (j) Dimenhydrinate (Gravol) (1) (50 mg/ml) (k) Diphenhydramine (Benadryl) (1) (50 mg/ml) (l) Dopamine (500 ml) (m) Epinephrine (Adrenaline) 1:10,000 (1) (1 mg/10 ml) (n) Epinephrine (Adrenaline) 1:1,000 (1) (1 mg/ml) (o) Fentanyl (100 mcg/2 ml) (p) Furosemide (Lasix) (10 mg/ml) (q) Glucagon (1 mg) (s) Ipratropium (Atrovent) (1) Sage 3 to bage 1 bag 2 vials or ampules 2 vials 6 ampules 6 boxes - injection 6 boxes - injection 6 boxes - injection 1 bag (pre-mixed) 6 boxes - injection 6 boxes - injection 6 boxes - injection 1 bag (pre-mixed) 1 bag (pre			
(g) Dextrose 5% water (D5W) (100ml) (h) Dextrose 50% (25 g/50 ml) (i) Diazepam (Valium) (10 mg/2 ml) (j) Dimenhydrinate (Gravol) (1) (50 mg/ml) (k) Diphenhydramine (Benadryl) (1) (50 mg/ml) (l) Dopamine (500 ml) (m) Epinephrine (Adrenaline) 1:10,000 (1) (1 mg/10 ml) (n) Epinephrine (Adrenaline) 1:1,000 (1) (1 mg/ml) (o) Fentanyl (100 mcg/2 ml) (p) Furosemide (Lasix) (10 mg/ml) (q) Glucagon (1 mg) (s) Ipratropium (Atrovent) 1 bag 1 bag 2 boxes - injection 2 vials 2 vials or ampules 2 vials 6 boxes - injection 6 ampules 6 ampules 7 ampules 9 vials 1 vial 2 vials/kit 2 vials/kit 1 single-use meter dose inhaler 1 single-use meter dose inhaler	(1) (50 meg/50 ml)	1 box injection	
(i) Diazepam (Valium) (10 mg/2 ml) (j) Dimenhydrinate (Gravol) (1) (50 mg/ml) (k) Diphenhydramine (Benadryl) (1) (50 mg/ml) (l) Dopamine (500 ml) (m) Epinephrine (Adrenaline) 1:10,000 (1) (1 mg/10 ml) (n) Epinephrine (Adrenaline) 1:1,000 (1) (1 mg/ml) (o) Fentanyl (100 mcg/2 ml) (p) Furosemide (Lasix) (10 mg/ml) (q) Glucagon (1 mg) (s) Ipratropium (Atrovent) (i) Dimenhydrinate (Gravol) 2 vials 2 vials or ampules 2 vials 2 vials 6 boxes - injection 6 ampules 6 ampules 7 ampules 9 ampules 2 vials/kit 1 vial 2 vials/kit 2 vials/kit 1 single-use meter dose inhaler 1 single-use meter dose inhaler	(g) Dextrose 5% water (D5W) (100ml)	1 bag	1 bag
(j) Dimenhydrinate (Gravol) (1) (50 mg/ml) (k) Diphenhydramine (Benadryl) (1) (50 mg/ml) (l) Dopamine (500 ml) (m) Epinephrine (Adrenaline) 1:10,000 (1) (1 mg/10 ml) (n) Epinephrine (Adrenaline) 1:1,000 (1) (1 mg/ml) (o) Fentanyl (100 mcg/2 ml) (p) Furosemide (Lasix) (10 mg/ml) (q) Glucagon (1 mg) (s) Ipratropium (Atrovent) 2 vials or ampules 2 vials or ampules 2 vials 2 vials 2 vials 6 ampules 6 ampules 7 vials 2 vials 1 single-use meter dose inhaler 1 single-use meter dose inhaler	(h) Dextrose 50% (25 g/50 ml)	2 boxes - injection	2 boxes - injection
(1) (50 mg/ml) (k) Diphenhydramine (Benadryl) (1) (50 mg/ml) (l) Dopamine (500 ml) (m) Epinephrine (Adrenaline) 1:10,000 (1) (1 mg/10 ml) (n) Epinephrine (Adrenaline) 1:1,000 (n) Epinephrine (Adrenaline) 1:1,000 (n) Epinephrine (Adrenaline) 1:1,000 (n) Fentanyl (100 mcg/2 ml) (o) Fentanyl (100 mcg/2 ml) (p) Furosemide (Lasix) (10 mg/ml) (q) Glucagon (1 mg) (q) Glucagon (1 mg) (s) Ipratropium (Atrovent) 2 vials 2 vials/kit 2 vials/kit 1 vial 2 aerosol inhalers; 1 single-use meter dose inhaler dose inhaler		2 vials	
(k) Diphenhydramine (Benadryl) (1) (50 mg/ml)2 vials2 vials(l) Dopamine (500 ml)1 bag (pre-mixed)(m) Epinephrine (Adrenaline) 1:10,000 (1) (1 mg/10 ml)6 boxes - injection(n) Epinephrine (Adrenaline) 1:1,000 (1) (1 mg/ml)6 ampules(a) Fentanyl (100 mcg/2 ml)2 ampules(b) Furosemide (Lasix) (10 mg/ml)2 vials(c) Glucagon (1 mg)2 vials/kit(d) Glucagon (Haldol) (5 mg/ml)1 vial(e) Ipratropium (Atrovent)2 aerosol inhalers; 1 single-use meter dose inhaler2 aerosol inhalers dose inhaler		2 vials or ampules	2 vials or ampules
(I) Dopamine (500 ml) (m) Epinephrine (Adrenaline) 1:10,000 (1) (1 mg/10 ml) (n) Epinephrine (Adrenaline) 1:1,000 (1) (1 mg/ml) (o) Fentanyl (100 mcg/2 ml) (p) Furosemide (Lasix) (10 mg/ml) (q) Glucagon (1 mg) (s) Ipratropium (Atrovent) 1 bag (pre-mixed) 6 boxes - injection 6 ampules 6 ampules 2 ampules 2 vials 1 vial 2 vials/kit 2 vials/kit 1 vial 2 aerosol inhalers; 1 single-use meter dose inhaler dose inhaler	(k) Diphenhydramine (Benadryl)	2 vials	2 vials
(m) Epinephrine (Adrenaline) 1:10,000 (1) (1 mg/10 ml) (n) Epinephrine (Adrenaline) 1:1,000 (1) (1 mg/ml) (2 ampules (3) Furosemide (Lasix) (10 mg/ml) (4) Glucagon (1 mg) (5) Ipratropium (Atrovent) (6 boxes - injection (6 ampules (6 ampules (7 ampules (8 ampules (9 Furosemide (Lasix) (10 mg/ml) (1 mg/ml) (2 vials (1 vial (1 vial (2 aerosol inhalers; (1 single-use meter dose inhaler		1 bag (pre-mixed)	
(n) Epinephrine (Adrenaline) 1:1,000 (1) (1 mg/ml) (2 ampules (3) Fentanyl (100 mcg/2 ml) (4) Furosemide (Lasix) (10 mg/ml) (5) Furosemide (Lasix) (10 mg/ml) (6) Furosemide (Lasix) (10 mg/ml) (7) Furosemide (Lasix) (10 mg/ml) (8) Ipratropium (Atrovent) (8) Ipratropium (Atrovent) (9) Epinephrine (Adrenaline) 1:1,000 (1) Campules (2 ampules (2 vials/kit (2 vials/kit (3 vials/kit (4 vials/kit (5 vials/kit (6 ampules ((m) Epinephrine (Adrenaline) 1:10,000		
(o) Fentanyl (100 mcg/2 ml) (p) Furosemide (Lasix) (10 mg/ml) 2 vials (q) Glucagon (1 mg) 2 vials/kit 2 vials/kit 1 vial (s) Ipratropium (Atrovent) 2 aerosol inhalers; 1 single-use meter dose inhaler dose inhaler	(n) Epinephrine (Adrenaline) 1:1,000	6 ampules	6 ampules
(p) Furosemide (Lasix) (10 mg/ml) 2 vials (q) Glucagon (1 mg) 2 vials/kit 2 vials/kit (r) Haloperidol (Haldol) (5 mg/ml) 1 vial (s) Ipratropium (Atrovent) 2 aerosol inhalers; 2 aerosol inhalers; 1 single-use meter dose inhaler 1 single-use meter dose inhaler	(o) Fentanyl (100 mcg/2 ml)	2 ampules	
(q) Glucagon (1 mg) 2 vials/kit 2 vials/kit (r) Haloperidol (Haldol) (5 mg/ml) 1 vial (s) Ipratropium (Atrovent) 2 aerosol inhalers; 2 aerosol inhalers; 1 single-use meter dose inhaler 1 single-use meter dose inhaler			
(r) Haloperidol (Haldol) (5 mg/ml) (s) Ipratropium (Atrovent) 2 aerosol inhalers; 1 single-use meter dose inhaler dose inhaler	•		2 vials/kit
(s) Ipratropium (Atrovent) 2 aerosol inhalers; 1 single-use meter dose inhaler 2 aerosol inhalers; 1 single-use meter dose inhaler			
1 single-use meter dose inhaler dose inhaler			2 aerosol inhalers:
dose inhaler dose inhaler		-	· ·
, , , , , , , , , , , , , , , , , , ,	(t) Lidocaine (Xylocaine)	1 bottle	



Patient Care Equipment and Supplies	Class 1	Class 2
	Minimum Number	Minimum Number
	or Amount	or Amount
(u) Magnesium Sulphate (5 g/10 ml)	1 vial	
(v) Metoclopromide (10 mg/2 ml)	2 vials	
(w) Midazolam (Versed) (5 mg/ml)	1 vial	
(x) Morphine (10 mg/ml)	2 ampules	
(y) Naloxone (Narcan) (0.4 mg/ml)	2 vials	2 vials
(z) Nitroglycerin (N/G) (0.4 mg/dose)	2 vials	2 vials
(aa) Oxytocin (Syntocinon)	2 ampules	
(1) (10USP units/ml)	2 umpures	
(bb) Salbutamol (Ventolin)	2 aerosol inhalers;	2 aerosol inhalers;
	1 single-use meter	1 single-use meter
	dose inhaler	dose inhaler
(cc) Topical Anaesthetic Eye Drops (1) (Tetracaine) (0.5%)	2 unit doses	2 unit doses
(dd) Tranexamic Acid (1,000 mg/10 ml)	1 vial	
38. Intravenous supplies, as follows:		
(a) syringe – 60cc	1	1
(b) syringe – 20cc	1	1
(c) syringe – 10cc	2	2
(d) syringe – 5cc	2	2
(e) syringe – 3cc	2	2
(f) syringe – 1cc	2	2
(g) NaCl 0.9% for injection, 10cc bottles	2	2
(h) NaCl 0.9% for flushing, 10cc pre-filled syringes	2	2
(i) NaCl 0.9% solution, 1,000 ml bags	2	2
(j) peripheral intravenous lock	2	2
(k) IV Tubing – 10gtt solution set	2	2
(l) Buretrol – 60gtt set	1	1
(m) tourniquets	2	2
(n) Tagaderm dressing	6	6
(o) blunt fill needle – 18 gauge (1-1/2")	2	2
(p) needle – 25 gauge (7/8")	2	2
(q) needle – 22 gauge (1-1/2")	2	2
(r) IV catheter - 14 gauge	2	2
(s) IV catheter - 16 gauge	2	2
(t) IV catheter - 18 gauge	2	2
(u) IV catheter - 20 gauge	2	2
(v) IV catheter - 22 gauge	2	2
(w) IO catheter – 18 gauge	1	
(x) transport tape	1	1
(y) nasal atomizer	1	1
(z) alcohol swabs	5	5
39. Penlight	1	1
40. Malleable splints	2	1
41. Urinal	1	2
42. Bedpan, with toilet paper	1	2
43. Emesis bag	1	4
44. Hot compresses	2	·
45. Cold compresses	2	4
::- = : = o.mp. = o.o.		_

Patient Care Equipment and Supplies	Class 1	Class 2
	Minimum Number	Minimum Number
	or Amount	or Amount
46. Disposable gloves (sizes small, medium and large)	1 box/size	1 box/size
47. Safety glasses with side shields	2 pairs	2 pairs
48. Surgical masks	4	2 x patient capacity
49. Sharps disposal container	1	1
50. Biohazard bag	1	2
51. Facial tissues	1 box	1 box
52. Cardiac monitor kit, portable, including:		
(a) cardiac monitor/defibrillator	1	1
(b) multi-function defibrillator electrode pads	2 adult size	2 adult size
	2 paediatric size	2 paediatric size
(c) disposable cardiac electrodes	1 package of 30	1 package of 30
(d) recorder paper	2	2
(e) disposable razor	1	1
(f) 5-lead attachment	1	1
(g) 12-lead attachment	1	1
53. Airway kit, portable, including:		
(a) wire cutter	1	
(b) Magill forceps	1 adult size	
	1 paediatric size	
(c) laryngoscope handle with batteries	1	
(d) blade – MacIntosh #3	1	
(e) blade – MacIntosh #4	1	
(f) blade – Miller #0	1	
(g) blade – Miller #1	1	
(h) blade – Miller #4	1	
(i) twill tape	3	
(j) Muko lubricating jelly	3	3
(k) stylets	1 adult size	
	1 paediatric size	
(I) Sterivent mini filter	1	
(m) 3-way stopcock	1	
(n) povidone-iodine swabs	5	
(o) glucometer	1	1
(p) glucometer test strips	1 bottle	1 bottle
(q) lancets	5	5
54. Paediatric kit, portable, including:		
(a) Broselow tape	1	1
(b) sterile obstetrical kit	1	1
(c) meconium aspirator	1	1
(d) bulb suction	1	1

(EC530/13; 785/22)