

2023 Growing Season Pesticide Field Log Record Book

Farm Name: _____



The use of this logbook assists PEI certified pesticide applicators in complying to Section 9 of the PEI Pesticides Control Act Regulations, which entails but is not limited to the following:

“Every person who holds a Pesticide Applicator Certificate shall, in such manner as may be required by the Minister, keep records of each pesticide use or application...” as per Section 9 (1) of the Pesticides Control Act Regulations

“Every person required to keep records under subsection (1) shall enter the use or application of a pesticide in the records not later than 72 hours after a pesticide use or application.” as per Section 9 (2) of the Pesticides Control Act Regulations

“A person who made, or caused to be made, the records under this section shall keep the records for a period of at least three years from the date of the use or application of the pesticide...” as per Section 9 (3) of the Pesticides Control Act Regulations

Visit the following link for review of PEI Pesticides Control Act Regulations: <https://www.princeedwardisland.ca/PesticideRegs>

**“All pesticide products that are registered for use in Canada have a Pest Control Product (PCP) registration number on the label. It is important to read the label on a pesticide carefully, as it also contains specific information on using the product safely.”
(Government of Canada)**

Visit <http://pr-rp.hc-sc.gc.ca/lr-re/index-eng.php> to search for PCP labels or download the PMRA Pesticide Labels application for your smartphone

For more information on Integrated Pest Management, contact Eileen Beaton, Agri-Environmental Specialist for the PEI Department of Agriculture.

e-mail: exbeaton@gov.pe.ca

cell: 902-314-0388

PEI Record Keeping Manual - 2023

for Certified Pesticide Applicators

Grower/Applicator Information

| | |
|--------------------------|--|
| Owner/Operator | |
| Address | |
| Company/Farm Name | |
| Phone Number | |

Applicator Name

Certification Number

A _____

B _____

C _____

D _____

E _____

F _____

FIELD LOG SHEET

| | | |
|------------------------|-----------------------------|---------------------------------|
| Name of Client: | Address of Client: | Phone # of Client: |
| Parcel #: | Farmer's Field Name: | Field Location: |
| | | Number of Acres Sprayed: |

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 1 | | | | | | | | |
| 2 | | | | | | | | |
| 3 | | | | | | | | |
| 4 | | | | | | | | |
| 5 | | | | | | | | |
| 6 | | | | | | | | |
| 7 | | | | | | | | |
| 8 | | | | | | | | |
| 9 | | | | | | | | |
| 10 | | | | | | | | |
| 11 | | | | | | | | |
| 12 | | | | | | | | |

Shaded areas (PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date) are required as part of CanadaGAP but not for *Pesticides Control Act*. Applicator Initials are to assist with operations that have multiple sprayer operators.

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 13 | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | |
| 22 | | | | | | | | |
| 23 | | | | | | | | |
| 24 | | | | | | | | |
| 25 | | | | | | | | |
| 26 | | | | | | | | |
| 27 | | | | | | | | |
| 28 | | | | | | | | |
| 29 | | | | | | | | |

Shaded areas (PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date) are required as part of CanadaGAP but not for *Pesticides Control Act*. Applicator Initials are to assist with operations that have multiple sprayer operators.

FIELD LOG SHEET

| | | |
|------------------------|-----------------------------|---------------------------------|
| Name of Client: | Address of Client: | Phone # of Client: |
| Parcel #: | Farmer's Field Name: | Field Location: |
| | | Number of Acres Sprayed: |

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 1 | | | | | | | | |
| 2 | | | | | | | | |
| 3 | | | | | | | | |
| 4 | | | | | | | | |
| 5 | | | | | | | | |
| 6 | | | | | | | | |
| 7 | | | | | | | | |
| 8 | | | | | | | | |
| 9 | | | | | | | | |
| 10 | | | | | | | | |
| 11 | | | | | | | | |
| 12 | | | | | | | | |

Shaded areas (PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date) are required as part of CanadaGAP but not for *Pesticides Control Act*. Applicator Initials are to assist with operations that have multiple sprayer operators.

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 13 | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | |
| 22 | | | | | | | | |
| 23 | | | | | | | | |
| 24 | | | | | | | | |
| 25 | | | | | | | | |
| 26 | | | | | | | | |
| 27 | | | | | | | | |
| 28 | | | | | | | | |
| 29 | | | | | | | | |

Shaded areas (PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date) are required as part of CanadaGAP but not for *Pesticides Control Act*. Applicator Initials are to assist with operations that have multiple sprayer operators.

FIELD LOG SHEET

| | | |
|------------------------|-----------------------------|---------------------------------|
| Name of Client: | Address of Client: | Phone # of Client: |
| Parcel #: | Farmer's Field Name: | Field Location: |
| | | Number of Acres Sprayed: |

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 1 | | | | | | | | |
| 2 | | | | | | | | |
| 3 | | | | | | | | |
| 4 | | | | | | | | |
| 5 | | | | | | | | |
| 6 | | | | | | | | |
| 7 | | | | | | | | |
| 8 | | | | | | | | |
| 9 | | | | | | | | |
| 10 | | | | | | | | |
| 11 | | | | | | | | |
| 12 | | | | | | | | |

Shaded areas (PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date) are required as part of CanadaGAP but not for *Pesticides Control Act*. Applicator Initials are to assist with operations that have multiple sprayer operators.

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 13 | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | |
| 22 | | | | | | | | |
| 23 | | | | | | | | |
| 24 | | | | | | | | |
| 25 | | | | | | | | |
| 26 | | | | | | | | |
| 27 | | | | | | | | |
| 28 | | | | | | | | |
| 29 | | | | | | | | |

Shaded areas (PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date) are required as part of CanadaGAP but not for *Pesticides Control Act*. Applicator Initials are to assist with operations that have multiple sprayer operators.

FIELD LOG SHEET

| | | |
|------------------------|-----------------------------|---------------------------------|
| Name of Client: | Address of Client: | Phone # of Client: |
| Parcel #: | Farmer's Field Name: | Field Location: |
| | | Number of Acres Sprayed: |

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 1 | | | | | | | | |
| 2 | | | | | | | | |
| 3 | | | | | | | | |
| 4 | | | | | | | | |
| 5 | | | | | | | | |
| 6 | | | | | | | | |
| 7 | | | | | | | | |
| 8 | | | | | | | | |
| 9 | | | | | | | | |
| 10 | | | | | | | | |
| 11 | | | | | | | | |
| 12 | | | | | | | | |

Shaded areas (PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date) are required as part of CanadaGAP but not for *Pesticides Control Act*. Applicator Initials are to assist with operations that have multiple sprayer operators.

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 13 | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | |
| 22 | | | | | | | | |
| 23 | | | | | | | | |
| 24 | | | | | | | | |
| 25 | | | | | | | | |
| 26 | | | | | | | | |
| 27 | | | | | | | | |
| 28 | | | | | | | | |
| 29 | | | | | | | | |

Shaded areas (PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date) are required as part of CanadaGAP but not for *Pesticides Control Act*. Applicator Initials are to assist with operations that have multiple sprayer operators.

FIELD LOG SHEET

| | | |
|------------------------|-----------------------------|---------------------------------|
| Name of Client: | Address of Client: | Phone # of Client: |
| Parcel #: | Farmer's Field Name: | Field Location: |
| | | Number of Acres Sprayed: |

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 1 | | | | | | | | |
| 2 | | | | | | | | |
| 3 | | | | | | | | |
| 4 | | | | | | | | |
| 5 | | | | | | | | |
| 6 | | | | | | | | |
| 7 | | | | | | | | |
| 8 | | | | | | | | |
| 9 | | | | | | | | |
| 10 | | | | | | | | |
| 11 | | | | | | | | |
| 12 | | | | | | | | |

Shaded areas (PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date) are required as part of CanadaGAP but not for *Pesticides Control Act*. Applicator Initials are to assist with operations that have multiple sprayer operators.

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 13 | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | |
| 22 | | | | | | | | |
| 23 | | | | | | | | |
| 24 | | | | | | | | |
| 25 | | | | | | | | |
| 26 | | | | | | | | |
| 27 | | | | | | | | |
| 28 | | | | | | | | |
| 29 | | | | | | | | |

Shaded areas (PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date) are required as part of CanadaGAP but not for *Pesticides Control Act*. Applicator Initials are to assist with operations that have multiple sprayer operators.

FIELD LOG SHEET

| | | |
|------------------------|-----------------------------|---------------------------------|
| Name of Client: | Address of Client: | Phone # of Client: |
| Parcel #: | Farmer's Field Name: | Field Location: |
| | | Number of Acres Sprayed: |

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 1 | | | | | | | | |
| 2 | | | | | | | | |
| 3 | | | | | | | | |
| 4 | | | | | | | | |
| 5 | | | | | | | | |
| 6 | | | | | | | | |
| 7 | | | | | | | | |
| 8 | | | | | | | | |
| 9 | | | | | | | | |
| 10 | | | | | | | | |
| 11 | | | | | | | | |
| 12 | | | | | | | | |

Shaded areas (PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date) are required as part of CanadaGAP but not for *Pesticides Control Act*. Applicator Initials are to assist with operations that have multiple sprayer operators.

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 13 | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | |
| 22 | | | | | | | | |
| 23 | | | | | | | | |
| 24 | | | | | | | | |
| 25 | | | | | | | | |
| 26 | | | | | | | | |
| 27 | | | | | | | | |
| 28 | | | | | | | | |
| 29 | | | | | | | | |

Shaded areas (PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date) are required as part of CanadaGAP but not for *Pesticides Control Act*. Applicator Initials are to assist with operations that have multiple sprayer operators.

FIELD LOG SHEET

| | | |
|------------------------|-----------------------------|---------------------------------|
| Name of Client: | Address of Client: | Phone # of Client: |
| Parcel #: | Farmer's Field Name: | Field Location: |
| | | Number of Acres Sprayed: |

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 1 | | | | | | | | |
| 2 | | | | | | | | |
| 3 | | | | | | | | |
| 4 | | | | | | | | |
| 5 | | | | | | | | |
| 6 | | | | | | | | |
| 7 | | | | | | | | |
| 8 | | | | | | | | |
| 9 | | | | | | | | |
| 10 | | | | | | | | |
| 11 | | | | | | | | |
| 12 | | | | | | | | |

Shaded areas (PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date) are required as part of CanadaGAP but not for *Pesticides Control Act*. Applicator Initials are to assist with operations that have multiple sprayer operators.

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 13 | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | |
| 22 | | | | | | | | |
| 23 | | | | | | | | |
| 24 | | | | | | | | |
| 25 | | | | | | | | |
| 26 | | | | | | | | |
| 27 | | | | | | | | |
| 28 | | | | | | | | |
| 29 | | | | | | | | |

Shaded areas (PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date) are required as part of CanadaGAP but not for *Pesticides Control Act*. Applicator Initials are to assist with operations that have multiple sprayer operators.

FIELD LOG SHEET

| | | |
|------------------------|-----------------------------|---------------------------------|
| Name of Client: | Address of Client: | Phone # of Client: |
| Parcel #: | Farmer's Field Name: | Field Location: |
| | | Number of Acres Sprayed: |

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 1 | | | | | | | | |
| 2 | | | | | | | | |
| 3 | | | | | | | | |
| 4 | | | | | | | | |
| 5 | | | | | | | | |
| 6 | | | | | | | | |
| 7 | | | | | | | | |
| 8 | | | | | | | | |
| 9 | | | | | | | | |
| 10 | | | | | | | | |
| 11 | | | | | | | | |
| 12 | | | | | | | | |

Shaded areas (PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date) are required as part of CanadaGAP but not for *Pesticides Control Act*. Applicator Initials are to assist with operations that have multiple sprayer operators.

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 13 | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | |
| 22 | | | | | | | | |
| 23 | | | | | | | | |
| 24 | | | | | | | | |
| 25 | | | | | | | | |
| 26 | | | | | | | | |
| 27 | | | | | | | | |
| 28 | | | | | | | | |
| 29 | | | | | | | | |

Shaded areas (PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date) are required as part of CanadaGAP but not for *Pesticides Control Act*. Applicator Initials are to assist with operations that have multiple sprayer operators.

FIELD LOG SHEET

| | | |
|------------------------|-----------------------------|---------------------------------|
| Name of Client: | Address of Client: | Phone # of Client: |
| Parcel #: | Farmer's Field Name: | Field Location: |
| | | Number of Acres Sprayed: |

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 1 | | | | | | | | |
| 2 | | | | | | | | |
| 3 | | | | | | | | |
| 4 | | | | | | | | |
| 5 | | | | | | | | |
| 6 | | | | | | | | |
| 7 | | | | | | | | |
| 8 | | | | | | | | |
| 9 | | | | | | | | |
| 10 | | | | | | | | |
| 11 | | | | | | | | |
| 12 | | | | | | | | |

Shaded areas (PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date) are required as part of CanadaGAP but not for *Pesticides Control Act*. Applicator Initials are to assist with operations that have multiple sprayer operators.

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 13 | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | |
| 22 | | | | | | | | |
| 23 | | | | | | | | |
| 24 | | | | | | | | |
| 25 | | | | | | | | |
| 26 | | | | | | | | |
| 27 | | | | | | | | |
| 28 | | | | | | | | |
| 29 | | | | | | | | |

Shaded areas (PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date) are required as part of CanadaGAP but not for *Pesticides Control Act*. Applicator Initials are to assist with operations that have multiple sprayer operators.

FIELD LOG SHEET

| | | |
|---------------------------------|-----------------------------|---------------------------|
| Name of Client: | Address of Client: | Phone # of Client: |
| Parcel #: | Farmer's Field Name: | Field Location: |
| Number of Acres Sprayed: | | |

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 1 | | | | | | | | |
| 2 | | | | | | | | |
| 3 | | | | | | | | |
| 4 | | | | | | | | |
| 5 | | | | | | | | |
| 6 | | | | | | | | |
| 7 | | | | | | | | |
| 8 | | | | | | | | |
| 9 | | | | | | | | |
| 10 | | | | | | | | |
| 11 | | | | | | | | |
| 12 | | | | | | | | |

Shaded areas (PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date) are required as part of CanadaGAP but not for *Pesticides Control Act*. Applicator Initials are to assist with operations that have multiple sprayer operators.

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 13 | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | |
| 22 | | | | | | | | |
| 23 | | | | | | | | |
| 24 | | | | | | | | |
| 25 | | | | | | | | |
| 26 | | | | | | | | |
| 27 | | | | | | | | |
| 28 | | | | | | | | |
| 29 | | | | | | | | |

Shaded areas (PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date) are required as part of CanadaGAP but not for *Pesticides Control Act*. Applicator Initials are to assist with operations that have multiple sprayer operators.

FIELD LOG SHEET

| | | |
|------------------------|-----------------------------|---------------------------------|
| Name of Client: | Address of Client: | Phone # of Client: |
| Parcel #: | Farmer's Field Name: | Field Location: |
| | | Number of Acres Sprayed: |

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 1 | | | | | | | | |
| 2 | | | | | | | | |
| 3 | | | | | | | | |
| 4 | | | | | | | | |
| 5 | | | | | | | | |
| 6 | | | | | | | | |
| 7 | | | | | | | | |
| 8 | | | | | | | | |
| 9 | | | | | | | | |
| 10 | | | | | | | | |
| 11 | | | | | | | | |
| 12 | | | | | | | | |

Shaded areas (PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date) are required as part of CanadaGAP but not for *Pesticides Control Act*. Applicator Initials are to assist with operations that have multiple sprayer operators.

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 13 | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | |
| 22 | | | | | | | | |
| 23 | | | | | | | | |
| 24 | | | | | | | | |
| 25 | | | | | | | | |
| 26 | | | | | | | | |
| 27 | | | | | | | | |
| 28 | | | | | | | | |
| 29 | | | | | | | | |

Shaded areas (PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date) are required as part of CanadaGAP but not for *Pesticides Control Act*. Applicator Initials are to assist with operations that have multiple sprayer operators.

FIELD LOG SHEET

| | | |
|------------------------|-----------------------------|---------------------------------|
| Name of Client: | Address of Client: | Phone # of Client: |
| Parcel #: | Farmer's Field Name: | Field Location: |
| | | Number of Acres Sprayed: |

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 1 | | | | | | | | |
| 2 | | | | | | | | |
| 3 | | | | | | | | |
| 4 | | | | | | | | |
| 5 | | | | | | | | |
| 6 | | | | | | | | |
| 7 | | | | | | | | |
| 8 | | | | | | | | |
| 9 | | | | | | | | |
| 10 | | | | | | | | |
| 11 | | | | | | | | |
| 12 | | | | | | | | |

Shaded areas (PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date) are required as part of CanadaGAP but not for *Pesticides Control Act*. Applicator Initials are to assist with operations that have multiple sprayer operators.

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 13 | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | |
| 22 | | | | | | | | |
| 23 | | | | | | | | |
| 24 | | | | | | | | |
| 25 | | | | | | | | |
| 26 | | | | | | | | |
| 27 | | | | | | | | |
| 28 | | | | | | | | |
| 29 | | | | | | | | |

Shaded areas (PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date) are required as part of CanadaGAP but not for *Pesticides Control Act*. Applicator Initials are to assist with operations that have multiple sprayer operators.

FIELD LOG SHEET

| | | |
|------------------------|-----------------------------|---------------------------------|
| Name of Client: | Address of Client: | Phone # of Client: |
| Parcel #: | Farmer's Field Name: | Field Location: |
| | | Number of Acres Sprayed: |

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 1 | | | | | | | | |
| 2 | | | | | | | | |
| 3 | | | | | | | | |
| 4 | | | | | | | | |
| 5 | | | | | | | | |
| 6 | | | | | | | | |
| 7 | | | | | | | | |
| 8 | | | | | | | | |
| 9 | | | | | | | | |
| 10 | | | | | | | | |
| 11 | | | | | | | | |
| 12 | | | | | | | | |

Shaded areas (PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date) are required as part of CanadaGAP but not for *Pesticides Control Act*. Applicator Initials are to assist with operations that have multiple sprayer operators.

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 13 | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | |
| 22 | | | | | | | | |
| 23 | | | | | | | | |
| 24 | | | | | | | | |
| 25 | | | | | | | | |
| 26 | | | | | | | | |
| 27 | | | | | | | | |
| 28 | | | | | | | | |
| 29 | | | | | | | | |

Shaded areas (PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date) are required as part of CanadaGAP but not for *Pesticides Control Act*. Applicator Initials are to assist with operations that have multiple sprayer operators.

FIELD LOG SHEET

| | | |
|------------------------|-----------------------------|---------------------------------|
| Name of Client: | Address of Client: | Phone # of Client: |
| Parcel #: | Farmer's Field Name: | Field Location: |
| | | Number of Acres Sprayed: |

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 1 | | | | | | | | |
| 2 | | | | | | | | |
| 3 | | | | | | | | |
| 4 | | | | | | | | |
| 5 | | | | | | | | |
| 6 | | | | | | | | |
| 7 | | | | | | | | |
| 8 | | | | | | | | |
| 9 | | | | | | | | |
| 10 | | | | | | | | |
| 11 | | | | | | | | |
| 12 | | | | | | | | |

Shaded areas (PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date) are required as part of CanadaGAP but not for *Pesticides Control Act*. Applicator Initials are to assist with operations that have multiple sprayer operators.

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 13 | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | |
| 22 | | | | | | | | |
| 23 | | | | | | | | |
| 24 | | | | | | | | |
| 25 | | | | | | | | |
| 26 | | | | | | | | |
| 27 | | | | | | | | |
| 28 | | | | | | | | |
| 29 | | | | | | | | |

Shaded areas (PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date) are required as part of CanadaGAP but not for *Pesticides Control Act*. Applicator Initials are to assist with operations that have multiple sprayer operators.

FIELD LOG SHEET

| | | |
|------------------------|-----------------------------|---------------------------------|
| Name of Client: | Address of Client: | Phone # of Client: |
| Parcel #: | Farmer's Field Name: | Field Location: |
| | | Number of Acres Sprayed: |

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 1 | | | | | | | | |
| 2 | | | | | | | | |
| 3 | | | | | | | | |
| 4 | | | | | | | | |
| 5 | | | | | | | | |
| 6 | | | | | | | | |
| 7 | | | | | | | | |
| 8 | | | | | | | | |
| 9 | | | | | | | | |
| 10 | | | | | | | | |
| 11 | | | | | | | | |
| 12 | | | | | | | | |

Shaded areas (PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date) are required as part of CanadaGAP but not for *Pesticides Control Act*. Applicator Initials are to assist with operations that have multiple sprayer operators.

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 13 | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | |
| 22 | | | | | | | | |
| 23 | | | | | | | | |
| 24 | | | | | | | | |
| 25 | | | | | | | | |
| 26 | | | | | | | | |
| 27 | | | | | | | | |
| 28 | | | | | | | | |
| 29 | | | | | | | | |

Shaded areas (PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date) are required as part of CanadaGAP but not for *Pesticides Control Act*. Applicator Initials are to assist with operations that have multiple sprayer operators.

Reference List for Products

The tables below are not comprehensive and provided only as a reference; furthermore, reading pesticide labels is required by law and are to be considered correct in the event of any discrepancy between those and this document.

Prepared by Eileen Beaton, Agri-Environmental Specialist, PEI Department of Agriculture, Spring 2023

Type: H = Herbicide; F = Fungicide; I = Insecticide; N = Nematode; B = Bactericide; A = Acaricide; (Mode of action)

| ROWS IN GREY INDICATE NEW ADDITIONS TO THE LIST. | | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|-------------|-----------------------|
| TEXT IN BOLD INDICATE PRODUCTS BEING DISCONTINUED WITHIN THE NEXT 1-3 YEARS OR REGISTERED TEMPORARILY. VISIT PMRA'S DECISIONS AND UPDATES WEBSITE AS WELL AS CONSULTATIONS WEBSITE FOR UP-TO-DATE INFORMATION. | | | |
| Active Ingredient(s) | Product Name | PCP # | Type (Mode of Action) |
| 2,4-D | 2,4-D amine 600 | 5931 | H (4) |
| | 2,4-D Ester 700 | 33111 | |
| 2,4- DB | Embutox | 27912 | H (4) |
| | IPCO Cobutox | 27911 | |
| | Caliber | 27910 | |
| ABAMECTIN | Agri-Mek | 24551 | I (6) |
| | Avid 1.9% | 24485 | |
| ACETAMIPRID | Assail 70 WP | 27128 | I (4A) |
| | Aceta 70 WP | 33298 | |
| | Vault 50 FS | 28119 | |
| ACETAMIPRID + NOVALURON | Cormoran | 33353 | I (4A,15) |
| ACETIC ACID | Serene | 30248 | H |
| ACEQUINOCYL | Kanemite 15 SC | 28641 | A (20B) |
| ACIFLUORFEN | Blazer | 23315 | H (14) |
| | Ultra Blazer | 32330 | |
| ATRAZINE | Aatrex Liquid 480 | 18450 | H (5) |
| | Converge 480 | 26277 | |
| ATRAZINE + DICAMBA | Marksman | 19349 | H (4,5) |
| ATRAZINE + DIMETHENAMID-P | Frontier Max Plus | 30519 | H (5,15) |
| <i>AUTOGRAPHA CALIFORNICA</i> NUCLEOPOLYHEDROVIRUS FV11 | Loopex | 31791/33105 | I |
| AZOXYSTROBIN | Azoshy 250 SC | 32263 | F (11) |
| | Quadris F | 26153 | |
| | Elatus A | 31973 | |
| | Dynasty 100FS | 28394 | |
| | Mana Azoxystrobin 250 | 30489 | |
| | Zoxy | 32418 | |
| AZOXYSTROBIN + DIFENOCONAZOLE | Quadris Top | 30518 | F (11,3) |
| | Exempla | 32015 | |
| AZOXYSTROBIN + DIFENOCONAZOLE + FLUDIOXONIL | Stadium | 31050 | F (11,3,12) |

| Active Ingredient(s) | Product Name | PCP # | Type (Mode of action) |
|------------------------------------------------|------------------|-------|-----------------------|
| AZOXYSTROBIN + PROPICONAZOLE | Quilt | 28328 | F (11,3) |
| | Headway | 29295 | |
| | Azoppz | 30256 | |
| | Topnotch | 31126 | |
| | Trivapro | 32184 | |
| <i>BACILLUS AMYLOLIQUEFACIENS</i> | Double Nickel LC | 31887 | F (44) |
| | Double Nickel 55 | 31888 | F/B (BM 02) |
| | Aveo EZ | 33680 | N |
| | AmyProtec 42 | 33815 | F (44) |
| | Serifel | 30054 | F (BM 02) |
| | Stargus | 33246 | F (BM 02) |
| <i>BACILLUS LICHENIFORMIS</i> | Avodigen | 33311 | F (44) |
| <i>BACILLUS MYCOIDES</i> | LifeGard WG | 32526 | F (P 06) |
| <i>BACILLUS SUBTILIS</i> | Serenade Max | 28549 | F (44) |
| | Serenade SOIL | 30647 | |
| | Serenade OPTI | 31666 | |
| | Serenade ASO | 28626 | |
| | Rhapsody ASO | 28627 | |
| | Kodiak | 30938 | |
| <i>BACILLUS SUBTILIS + BACILLUS VELEZENSIS</i> | Ataplan | 34102 | F (BM 02) |
| <i>BACILLUS VELEZENSIS</i> | Arolist | 34103 | F (BM 02) |
| <i>BACILLUS THURINGIENSIS</i> | Dipel 2X DF | 26508 | I (11) |
| | Bioprotec CAF | 26854 | |
| | Bioprotec 3 | 27750 | |
| | Foray 48BA | 24978 | |
| | XenTari WG | 31557 | |
| | Bioprotec Plus | 32425 | |
| <i>BEAUVERIA BASSIANNA</i> | Bassidor | 34656 | I |
| | Botanigard 22 WP | 29321 | |
| | Bioceres G WP | 31231 | |
| | Velifer | 32993 | |
| BENTAZON | Basagran Forte | 22006 | H (6) |
| | Broadloom | 32661 | |
| BENTAZON + ACIFLUORFEN | Hurricane | 32662 | H (6,14) |
| BENTAZON + ATRAZINE | Laddock | 16641 | H (5,6) |
| BENZOVINDIFLUPYR | Aprovia | 31981 | F (7) |
| | Elatus B | 31977 | |
| | Trivapro B | 32185 | |

| Active Ingredient(s) | Product Name | PCP # | Type (Mode of action) |
|-------------------------------------------------------|-------------------------|--------------|-----------------------|
| BENZOVINDIFLUPYR + AZOXYSTROBIN | Elatus | 31524 | F (7,11) |
| | Mural | 31523 | |
| BENZOVINDIFLUPYR + DIFENOCONAZOLE | Aprovia Top | 31526 | F (7,3) |
| BICYCLOPYRONE + MESOTRIONE + S-METOLACHLOR + ATRAZINE | Acuron | 31846 | H (5,15,27) |
| BOSCALID | Cantus WDG | 30141 | F (7) |
| | Lance WDG | 27495 | |
| BOSCALID + PROTHIOCONAZOLE | Cotegra | 32530 | F (7,3) |
| BROFLANILIDE | Cimegra | 33666 | I (30) |
| | Teraxxa | 33668 | |
| BROMOXYNIL | Pardner | 18001 | H (6) |
| | Koril | 25341 | |
| | Brotex | 28519 | |
| | Bromotril | 28276 | |
| | IPCO Brotex 4AT | 33554 | |
| BROMOXYNIL + MCPA | Mextrol 450 | 26999 | H (6,4) |
| | Badge II | 30370 | |
| | Logic M | 28109 | |
| | Buctril M | 18022 | |
| BROMOXYNIL + 2,4-D | Thumper | 22659 | H (6,4) |
| CAPTAN | Maestro 80 WSP | 33488 | F (M) |
| CARBARYL | Sevin XLR | 27876 | I (1A) |
| CARFENTRAZONE-ETHYL | Aim EC | 28573 | H (14) |
| CHLORANTRANILIPROLE | Coragen | 28982 | I (28) |
| | Coragen MaX Insecticide | 34385 | |
| | Altacor | 28981 | |
| CHLORANTRANILIPROLE + LAMBDA-CYHALOTHRIN | Voliam Xpress | 30325 | I (3,28) |
| CHLOROTHALONIL | Bravo ZN | 28900 | F (M) |
| | Echo 720 | 29355 | |
| CHLOROTHALONIL + PENTHIOPYRAD | Treoris | 30333 | F (M,7) |
| CHLORPYRIFOS | Lorsban 50W | 20944 | I (1B) |
| | Lorsban NT | 29650 | |
| | Pyrifos 15G | 24648 | |
| | Pyrinex 480EC | 23705 | |
| | Lorsban 4E | 14879 | |
| | Sharphos | 32768 | |
| | Nufos 4E | 25831 | |
| CITRIC ACID + LACTIC ACID | Cyclone | 30459 | F/B |
| | Lacto-San | 30110 | |

| Active Ingredient(s) | Product Name | PCP # | Type (Mode of action) |
|-----------------------------------------|-----------------------------------------|-------|-----------------------|
| CLETHODIM | Arrow 240 EC | 28224 | H (1) |
| | Select EC | 22625 | |
| | Clethodim 250 | 32334 | |
| | Clethodim 360EC | 31496 | |
| | Centurion | 27598 | |
| | Deputy 250 | 33703 | |
| | Advantage clethodim 240 | 33721 | |
| | IPCO GraminX | 33659 | |
| CLOMAZONE | Command 360 ME | 27827 | H (13) |
| CLOPYRALID | Lontrel 360 EC | 23545 | H (4) |
| | Pyralid | 32265 | |
| | Lontrel XC | 32795 | |
| CLOPYRALID + MCPA | Prestige XC | 29796 | H (4) |
| CLOPYRALID + MCPA + FLUROXYPYR | Prestige XL | 31428 | H (4) |
| CLOTHIANIDIN | Clutch 50 WDG | 29382 | I (4A) |
| | Titan ST | 27449 | |
| | Nipsit Inside 600 | 28975 | |
| | Poncho 600 FS | 27453 | |
| CLOTHIANIDIN + IMIDACLOPRID | Sepresto 75 WS | 30972 | I (4A) |
| CLOTHIANIDIN + PENFLUFEN | Emesto Quantum | 30362 | I (4A), F (7) |
| CLOTHIANIDIN + METALAXYL + METOCONAZOLE | NipsIt SUITE Cereals Of Seed Protectant | 31357 | I (4A), F (3,4) |
| COPPER | Kocide 2000 | 27348 | F (M) |
| | Parasol FL | 25901 | |
| | Parasol WP | 24671 | |
| | Guardsman copper oxychloride 50 | 13245 | |
| | Copper Spray Fungicide | 19146 | |
| | Cueva | 31825 | |
| CYAZOFAMID | Ranman 400SC | 30716 | F (21) |
| | Tarrant 400SC | 30392 | |
| | Cyazofamid 400SC | 27984 | |
| CYANTRANILIPROLE | Verimark | 30892 | I (28) |
| | HGW86 200SC | 32270 | |
| | Exirel | 30895 | |
| | Ference | 33656 | |
| CYANTRANILIPROLE + ABAMECTIN | Minecto Pro | 33023 | I (2,28) |
| CYCLANILIPROLE | Harvanta 50SL | 32889 | I (28) |
| | Cyclaniliprole 50SL | 32862 | |
| CYFLUMETOFEN | Nealta Miticide | 31284 | A (25) |
| CYMOXANIL | Curzate | 26284 | F (27) |

| Active Ingredient(s) | Product Name | PCP # | Type (Mode of action) |
|-------------------------------------------------------|----------------------------------|-------|-----------------------|
| CYPERMETHRIN | Mako | 30316 | I (3A) |
| | Ripcord 400EC | 15738 | |
| | Up Cyde 2.5 EC | 28795 | |
| | Ship 250 EC | 32563 | |
| CYPRODINIL | Vanguard 75WG | 25509 | F (9) |
| CYPRODINIL + FLUDIOXINIL | Switch 62.5 | 28189 | F (9,12) |
| | Cyproflu | 30185 | |
| CYPRODINIL + DIFENOCONAZOLE | Inspire Super | 30827 | F (3,9) |
| DELTAMETHRIN | Decis 5EC | 22478 | I (3A) |
| | Decis Flowable | 25573 | |
| | Poleci 2.5 EC | 32446 | |
| DELTAMETHRIN + IMIDACLOPRID | Concept | 29611 | I (3A,4A) |
| DICAMBA | Engenia | 32220 | H (4) |
| | Oracle | 26722 | |
| | Hawkeye Power | 29223 | |
| DICAMBA + S-METOLACHLOR | Tavium plus VaporGrip Technology | 33268 | H (4,15) |
| DICAMBA + MCPA | DyVel | 16545 | H (4) |
| DICAMBA + TRIBENURON METHYL | DB-878 | 32955 | H (2,4) |
| DICHLORBENIL | Casoron G-4 | 12533 | H (20) |
| DICHLORPROP + 2,4-D | Estaprop | 29660 | H (4) |
| | Dichloprop-DX | 29664 | |
| DIFENOCONAZOLE + METALAXYL-M + SEDAXANE + FLUDIOXINIL | Vibrance Quattro | 31408 | F (3,4,7,12) |
| | Vibrance Flexi Canola | 32624 | |
| | Vibrance Flexi Cereals | 32625 | |
| DIMETHENAMID-P | Outlook | 30947 | H (15) |
| DIMETHENAMID-P + SAFLUFENACIL | Integrity | 29371 | H (14,15) |
| DIMETHOATE | Lagon 480 E | 9382 | I (1B) |
| DIMETHOMORPH | Forum | 32026 | F (40) |
| DIMETHOMORPH + AMETOCTRADIN | Zampro | 30321 | F (40,45) |
| DIQUAT | Reglone Dessicant | 26396 | H (22) |
| EPTC | Eptam EC | 11284 | H (8) |
| ETHANOL (DENATURED) | Restrain Fuel | 34152 | N/A |
| FAMOXADONE + CYMOXANIL | Tanos 50 DF | 27435 | F (11,27) |
| FENBUCONAZOLE | Indar | 27294 | F (3) |
| FENHEXAMID | Elevate 50 WDG | 25900 | F (17) |
| FENAMIDONE | Reason 500SC | 27462 | F (11) |
| FENAZAQUIN | Magister SC | 34544 | A (21), F (39) |

| Active Ingredient(s) | Product Name | PCP # | Type (Mode of action) |
|---------------------------------|------------------------|-------|-----------------------|
| FENOXAPROP-P-ETHYL | Excel Super | 22205 | H (1) |
| | Puma Advance | 29615 | |
| | Bengal WB | 30843 | |
| | Vigil WB | 30844 | |
| FENPROPATHRIN | Danitol | 33817 | I (3) |
| FLAZASULFURON | Chikara 25WG | 33130 | H (2) |
| | Flazasulfuron 25WG | 32910 | |
| FLONICAMID | Beleaf 50 SG | 29796 | I (29) |
| FLUAZAINDOLIZINE | Salibro | 34182 | N |
| FLUAZIFOP-P-BUTYL | Venture L | 21209 | H (1) |
| FLUAZINAM | Allegro 500 F | 27517 | F (29) |
| FLUDIOXONIL | Madallion | 31528 | F (12) |
| | Maxim PSP | 26647 | |
| | Maxim 480FS Colourless | 27001 | |
| | Scholar 230 SC | 29528 | |
| FLUDIOXONIL + DIFENOCONAZOLE | Maxim D | 30599 | F (12,3) |
| FLUDIOXINIL + METALAXYL-M | Apron Maxx RTA | 27577 | F (4,12) |
| | Apron Maxx RFC | 28817 | |
| FLUMIOXAZIN | Chateau EZ | 34036 | H (14) |
| | Chateau WDG | 29231 | |
| | Flumioxazin EZ | 33524 | |
| | Valtera | 29230 | |
| | Valtera EZ | 33523 | |
| FLUMIOXAZIN + PYROXASULFONE | Fierce | 31117 | H (14,15) |
| FLUMIOXAZIN + CHLORIMURON-ETHYL | Diligent | 31494 | H (2,14) |
| FLUOPICOLIDE | Presidio | 30051 | F (43) |
| | Fluopicolide 4 SC | 30050 | |
| FLUOPYRAM | Velum Prime | 32108 | F (7) |
| | Luna Privilege | 30509 | |
| FLUOPYRAM + PROTHIOCONAZOLE | FPY/PTZ | 31729 | F (7,3) |
| | Proline Gold | 30511 | |
| | Propulse | 33955 | |
| FLUOPYRAM + PYRIMETHANIL | Luna Tranquility | 30510 | F (7,9) |
| FLUOPYRAM + TRIFLOXYSTROBIN | Luna Sensation | 32107 | F (7,11) |
| FLUOXASTROBIN | Evito 480 SC | 30408 | F (11) |
| FLUOXASTROBIN + TETRACONAZOLE | Zolera FX | 33367 | F (11,3) |
| FLUPYRADIFURONE | Sivanto Prime | 31452 | I (4D) |
| | Altus Insecticide | 33176 | |
| | BYI 02960 200 SL | 33696 | |
| FLUXAPYROXAD | Sercadis | 31697 | F (6) |

| Active Ingredient(s) | Product Name | PCP # | Type (Mode of action) |
|-----------------------------------------------------------------------------|----------------------------|-------|-----------------------|
| FOMESAFEN | Reflex | 24779 | H (14) |
| FOMESAFEN + GLYPHOSATE | Flextar GT | 30412 | H (14,9) |
| FORAMSULFURON | Option 2.25 OD | 27424 | H (2) |
| <i>GLIOCLADIUM CATENULATUM</i> Strain J1446 | Prestop | 28820 | F |
| GLUFOSINATE AMMONIUM | Ignite 15 SN | 23180 | H (10) |
| | Ignite SN | 28532 | |
| | Liberty 200 SN | 25337 | |
| GLYPHOSATE | Roundup Ultra 2 | 28486 | H (9) |
| | Round up WeatherMAX | 27487 | |
| | Roundup Transorb | 25344 | |
| | Glyfos soluble concentrate | 24359 | |
| | Touchdown Total | 28072 | |
| | Factor 540 | 27988 | |
| | Credit 45 | 29124 | |
| | Vantage Plus MAX | 27615 | |
| Polaris | 29479 | | |
| HALAUXIFEN | Elevore | 32948 | H (4) |
| HALAUXIFEN + FLUROXYPYR | Pixxaro | 31303 | H (4) |
| | Rezuvant A | 33262 | |
| HALAUXIFEN + CARFENTRAZONE-ETHYL | Prospect | 33635 | H (4,14) |
| <i>HELICOVERPA ARMIGERA</i> NUCLEOPOLYHEDROVIRUS, (HEARNPV) ISOLATE BV 0003 | Helicovex | 33169 | I |
| HEXAZINONE | Velpar DF | 25225 | H (5) |
| HYDROGEN PEROXIDE | StorOx | 27432 | F |
| IMAZAPYR | Arsenal PowerLine | 30203 | H (2) |
| IMIDACLOPRID | Admire 240 | 24094 | I (4A) |
| | Alias 240 SC | 28475 | |
| | Stress Shield 600 | 30668 | |
| | Stress Shield for cereals | 29609 | |
| INDAZIFLAM | Alion | 30451 | H (29) |
| | Indaziflam 500 SC | 30220 | |
| | Indaziflam 200 SC | 30221 | |
| INPYRFLUXAM | Exclaia | 33819 | F (7) |
| | Zaltera | 33820 | |
| ISOFETAMID | Kenja 400SC | 31758 | F (7) |
| | Isofematid 400SC | 31555 | |
| ISOXAFLUTOLE | Converge Flexx | 29071 | H (27) |
| | Converge 75 WDG | 26142 | |
| KAOLIN | Surround WP | 27469 | I |
| <i>LECANICILLIUM MUSCARIUM</i> | Mycotal | 33959 | I |

| Active Ingredient(s) | Product Name | PCP # | Type (Mode of action) |
|-----------------------------------|--------------------------|-----------------|-----------------------|
| LAMBDA-CYHALOTHRIN | Matador 120 EC | 24984 | I (3A) |
| | Silencer 120 EC | 29052 | |
| | Warrior Insecticide | 26837 | |
| LAMBDA-CYHALOTHRIN + THIAMETHOXAM | Endigo | 30404 | I (3,4) |
| LINURON | Lorox L | 16279 | H (7) |
| | Afolan F | 16363 | |
| MALATHION | Malathion 500 | 5821 | I (1B) |
| | Malathion 85 | 8372 | |
| | Fyfanon ULV | 9337 | |
| MANCOZEB | Dithane DG Rainshield NT | 20553 | F (M) |
| | Dithane M-45 | 8556 | |
| | Manzate Pro-Stick | 28217 | |
| | Penncozeb 75 DF Raincoat | 30241 | |
| | Penncozeb 80 WP | 25396 | |
| | PSPT 16% | 24734.01 | |
| | Solan MZ | 29377 | |
| | Tuberseal | 17042 | |
| | Tuberseal MZ | 29378 | |
| MANCOZEB + ZOAMIDE | Gavel 75 DF | 26842 | F (M,22) |
| MANCOZEB + FLUDIOXINIL | Maxim MZ PSP | 27965 | F (M,12) |
| MANDIPROPAMID | Revus | 29074 | F (40) |
| | Orondis Ultra A | 32145 | |
| MANDIPROPAMID + OXATHIPIPROLIN | Orondis Ultra | 32805 | F (40,49) |
| MCPA | MCPA amine 500 | 9516 | H (4) |
| | MCPA amine 600 | 28384 | |
| | MCPA Ester 600 | 27803 | |
| MCPA SODIUM | MCPA sodium 300 | 9858 | H (4) |
| MCPB + MCPA | Troptox Plus | 8211 | H (4) |
| | Clovitox Plus | 24336 | |
| MECOPROP | Compitox | 27824 | H (4) |
| | Mecoprop - P | 27891 | |
| MECOPROP + MCPA + DICAMBA | Sword | 27892 | H (4) |
| | Tracker | 27790 | |
| MEFENTRICFLUCONAZOLE | Cevya | 33405 | F (3) |
| MESOTRIONE | Callisto 480SC | 27833 | H (27) |
| METALAXYL-M | Orondis Gold B 480SL | 32937 | F (4) |
| | Ridomil Gold 480SL | 28474 | |
| | Ridomil Gold 1G | 26612 | |
| | Apron XL LS | 25585 | |

| Active Ingredient(s) | Product Name | PCP # | Type (Mode of action) |
|-------------------------------|--------------------------|-------|-----------------------|
| METALAXYL-M + CHLOROTHALONIL | Ridomil Gold / Bravo Duo | 26443 | F (4,M) |
| METALAXYL-M + TEBUCONAZOLE | Raxil MD | 27692 | F (4,3) |
| METARHIZIUM BRUNNEUM | Lalguard M52 GR | 29147 | I |
| | Lalguard M52 OD | 30829 | |
| METCONAZOLE | Quash | 30402 | F (3) |
| | Caramba | 29767 | |
| METCONAZOLE + PROTHIOCONAZOLE | Sphaerex | 34263 | F (3) |
| METHOMYL | Lannate | 10868 | I (1A) |
| METHOXYFENOZIDE | Intrepid | 27786 | I (18) |
| METIRAM | Polyram DF WSP | 33496 | F (M) |
| METIRAM + PYRACLOSTROBIN | Cabrio Plus WSP | 33497 | F (M,11) |
| METRIBUZIN | Sencor 480 F | 26280 | H (5) |
| | Sencor 75 DF | 17242 | |
| | Sencor Solupak | 20968 | |
| | TriCor 75 DF | 30661 | |
| | Metrix | 32876 | |
| | Squadron | 32081 | |
| MINERAL OIL | Purespray Green | 27666 | I |
| | Superior 70 Oil | 14981 | |
| MYCLOBUTANIL | Nova | 22399 | F (3) |
| NALED | Dibrom | 7442 | I (1B) |
| NOVALURON | Rimon 10 EC (UPL) | 28881 | I (15) |
| | Rimon 10 EC (ADAMA) | 28515 | |
| OXAMYL | Vydate L | 17995 | I (1A) |
| OXATHIPIPROLIN | Zorvec Enicade | 32101 | F (U15) |
| | Zorvec Epicaltrin | 32102 | |
| | Orondis | 32103 | |
| OXATHIPIPROLIN + METALAXYL | Orondis Gold | 33508 | F (49,4) |
| PELARGONIC ACID | Beloukha | 33686 | H (26) |
| PENDIMETHALIN | Prowl H20 | 29542 | H (3) |
| PENFLUFEN | Pen 240FS | 30359 | F (7) |
| PENFLUFEN + PROTHIOCONAZOLE | Emesto Silver | 30361 | F (3,7) |
| PENTHIOPYRAD | Vertisan | 30332 | F (7) |
| | Fontelis | 30331 | |
| PERMETHRIN | Ambush 500EC | 14882 | I (3A) |
| | Perm Up | 28877 | |
| | Pounce 384 EC | 16688 | |
| PETHOXAMID | Pethoxamid 480 EC | 33466 | H (15) |
| PHORATE | Thimet 20-G | 29000 | I (1B) |
| PHOSMET | Imidan 50-WP Instapak | 23006 | I (1B) |

| Active Ingredient(s) | Product Name | PCP # | Type (Mode of action) |
|----------------------------------------------------|--------------------------|--------------|-----------------------|
| PHOSPHITES OF SODIUM, POTASSIUM AND AMMONIUM SALTS | Phostrol | 30449 | F (33) |
| PHOSPHOROUS ACID (MONO AND DI-POTASSIUM SALTS) | Confine | 29100 | F (33) |
| | Confine Extra | 30648 | |
| | Confine Post | 30651 | |
| | Rampart | 30654 | |
| PICOXYSTROBIN | Acapela | 30470 | F (11) |
| | Cerefit A | 33522 | |
| POLYOXIN D ZINC SALT | Diplomat | 32918 | F (19) |
| | Polyoxin D Zinc Salt 5SC | 32688 | |
| POTASSIUM BICARBONATE | MilStop | 28095 | F |
| | Sirocco | 31091 | |
| POTASSIUM SALTS OF FATTY ACIDS | KOPA | 31433 | I |
| | Neudosan commercial | 27886 | |
| PROPICONAZOLE | Topas | 30163 | F (3) |
| | Mission 418 EC | 28016 | |
| | Jade | 24030 | |
| | Propi Super 25 EC | 32240 | |
| | Bumper 418 EC | 33027 | |
| | Tilt 250E | 19346 | |
| PROPICONAZOLE + TRIFLOXYSTROBIN | Stratego 250EC | 27528 | F (3,11) |
| PROPYZAMIDE | Kerb SC | 30264 | H (15) |
| PROTHIOCONAZOLE | Proline 480 SC | 28359 | F(3) |
| PROTHIOCONAZOLE + TEBUCONAZOLE | Prosaro 250 EC | 29821 | F(3) |
| PROTHIOCONAZOLE + TRIFLOXYSTROBIN | Stratego Pro | 31436 | F (3,11) |
| | USF0728 325 SC | 31435 | |
| | Delaro 325 SC | 31533 | |
| PYDIFLUMETOFEN | Saltro | 33643 | F (7) |
| PYDIFLUMETOFEN + AZOXYSTROBIN + DIFENOCONAZOLE | A23089 Fungicide | 34616 | F (3,7,11) |
| PYDIFLUMETOFEN + DIFENOCONAZOLE | Mirvais Duo | 33206 | F (7,3) |
| PYDIFLUMETOFEN + FLUDIOXONIL | A20560 | 33021 | F (7,12) |
| | Mirvais Prime | 33207 | |
| PYDIFLUMETOFEN + AZOXYSTROBIN + PROPICONAZOLE | A21461 | 33022 | F (7,3,11) |
| PYRACLOSTROBIN | Headline EC | 27322 | F (11) |
| | Cabrio | 27323 | |
| | Preach | 33928 | |
| PYRACLOSTROBIN + BOSCALID | Pristine WG | 27985 | F (11,7) |
| | Headline Duo | 28862 | |
| PYRACLOSTROBIN + FLUXAPYRAD | Priaxor | 30567 | F (11,7) |
| | Merivon | 33951 | |

| Active Ingredient(s) | Product Name | PCP # | Type (Mode of action) |
|-------------------------------------------|-------------------------------|-------|-----------------------|
| PYRACLOSTROBIN + METCONAZOLE | Twinline Fungicide | 30337 | F (3,11) |
| | Headline AMP | 32189 | |
| PYRASULFOTOLE + BROMOXYNIL | Infinity | 28738 | H (6,27) |
| PYRASULFOTOLE + BROMOXYNIL + FLUROXYPYR | Infinity FX | 33248 | H (4,6,27) |
| PYRETHRINS | Pyganic | 30164 | I (3) |
| PYRIDATE | Tough 600 EC | 34031 | H (6) |
| PYRIMETHANIL | Scala SC | 28011 | F (9) |
| PYROXASULFONE | Pyroxasulfone 85 WG | 30572 | H (15) |
| | Zidua SC | 32542 | |
| PYROXASULFONE + SULFENTRAZON | Authority Supreme | 32562 | H (14,15) |
| PYROXASULFONE + CARFENTRAZONE-ETHYL | Focus | 32292 | H (14,15) |
| PYROXSULAM | Simplicity | 28887 | H (2) |
| | Simplicity GoDri | 31916 | |
| QUIZALOFOP-P-ETHYL | Assure II | 25462 | H (1) |
| | Yuma GL | 30100 | |
| <i>REYNOUTRIA SACHALINENSIS</i> (extract) | Regalia Maxx | 30199 | F (P5) |
| RIMSULFURON | Prism | 23983 | H (2) |
| SAFLUFENACIL | Eragon WSG | 29372 | H (14) |
| | Eragon LQ | 31469 | |
| SEDAXANE | Vibrance Potato | 31041 | F (7) |
| | Vibrance 500FS Seed Treatment | 30438 | |
| SEDAXANE + DIFENOCONAZOLE + MANDIPROPAMID | Vibrance Ultra Potato | 33171 | F (3,7,40) |
| SEDAXANE + METALAXYL-M + FLUDIOXINIL | Vibrance Maxx RFC | 32272 | F (4,7,12) |
| SETHOXYDIM | Poast Ultra | 24835 | H (1) |
| SILICONE DIOXIDE | DX 13 | 30973 | I |
| SIMAZINE | Princep Nine-T | 16370 | H (5) |
| SPINETORAM | Delegate | 28778 | I (5) |
| | Radiant SC | 28777 | |
| SPINOSAD | Entrust 80 WDG | 27825 | I (5) |
| | Entrust SC | 30382 | |
| | Success 480 SC | 26835 | |
| | Spinosad Insecticide | 28602 | |
| | GF-120 Fruit Fly Bait | 28336 | |
| SPIROMESIFEN | Oberon | 28905 | I (23) |
| SPIROTETRAMAT | Movento 240 SC | 28953 | I (23) |
| <i>STREPTOMYCES LYDICUS</i> | Actinovate SP Fungicide | 28672 | F |
| SULFENTRAZONE | STZ | 32621 | H (14) |
| | SZ-75 | 33832 | |
| | Authority | 29012 | |
| SULFENTRAZONE + TRIBENURON-METHYL | SZ-0050 | 34178 | H (2,14) |

| Active Ingredient(s) | Product Name | PCP # | Type (Mode of action) |
|----------------------------------------------------------------------|-----------------------------|-------|-----------------------|
| SULFOXAFLO | Closer SC | 30826 | I (4C) |
| | Rascendo | 32250 | |
| SULFOXAFLO + SPINETORAM | TwinGuard Insecticide | 31442 | I (4C,5) |
| S-METOLACHLOR | Dual Magnum | 25728 | H (15) |
| | Dual II Magnum | 25729 | |
| | UPI S-Met | 32847 | |
| | Metallica | 34052 | |
| S-METOLACHLOR + ATRAZINE | Primextra II Magnum | 25730 | H (15,5) |
| S-METOLACHLOR + ATRAZINE + MESOTRIONE | Lumax EZ | 30864 | H (5,15,27) |
| S-METOLACHLOR + ATRAZINE + MESOTRIONE | Acuron | 31846 | H (5,15,27) |
| S-METOLACHLOR + METRIBUZIN | Boundary LQD | 30812 | H (15,5) |
| | Strim MTZ | 33753 | |
| | Flag | 34054 | |
| TEA TREE OIL | Timorex gold | 30910 | F |
| TEBUCONAZOLE | Folicur | 25940 | F (3) |
| TEBUCONAZOLE + TRIFLOXYSTROBIN | USF 2010 | 29818 | F (3,11) |
| TEBUFENOZIDE | Confirm 240 | 24503 | I (18) |
| TEMBOTRIONE | Laudis | 31721 | H (27) |
| TERBACIL | Sinbar WDG | 30082 | H (5) |
| TETRACONAZOLE | Roxar | 32200 | F (3) |
| TETRANILIPROLE | Vayego 200SG | 33711 | I (28) |
| | Reatis 480 FS | 33712 | |
| THIABENDAZOLE | Mertect SC | 13975 | F (1) |
| THIAMETHOXAM | Actara 240 SC | 28407 | I (4A) |
| | Actara 25 WG | 28408 | |
| | Cruiser 5FS | 27045 | |
| THIAMETHOXAM + CYANTRANILIPROLE | Minecto Duo 40WG | 30900 | I (4A,28) |
| THIAMETHOXAM + DIFENOCONAZOLE + METALAXYL-M + SEDAXANE + FLUDIOXINIL | Cruiser Vibrance Quattro | 31453 | I (4), F (3,4,7,12) |
| | Helix Vibrance | 31454 | |
| THIAMETHOXAM + FLUDIOXONIL + DIFENOCONAZOLE | Cruiser Maxx Potato Extreme | 31024 | I (4A), F (12,3) |
| THIAMETHOXAM + METALAXYL-M + FLUDIOXINIL | Cruiser Maxx Beans | 28821 | I (4A), F (4,12) |
| THIENCARBAZONE-METHYL | WG63 PRE | 34324 | H (2) |
| THIFENSULFURON-METHYL | Pinnacle SG Toss-N-Go | 30741 | H (2) |
| THYMOL + EUCALYPTUS OIL + RACEMIC CAMPHOR + L-MENTHOL | Api Life VAR | 33821 | I |
| THIOPHANATE-METHYL | Senator 50SC | 32096 | F (1) |
| | Senator PSPT | 26236 | |
| TIAFENACIL | Insight 339SC | 34234 | H (14) |
| TIAFENACIL | Tiafenacil 70WG | 34233 | H (14) |
| TOLPYRALATE | Tolpyralte 400 SC | 32901 | H (27) |
| | Shieldex 400SC | 32943 | |

| Active Ingredient(s) | Product Name | PCP # | Type (Mode of action) |
|-----------------------------------------------------------------------------------------|--------------------|-------|-----------------------|
| TRALKOXYDIM | Achieve | 27011 | H (1) |
| | Bison | 29256 | |
| TRIBENURON-METHYL | Spartan 75 DF | 23632 | H (2) |
| TRIBENURON-METHYL + THIFENSULFURON-METHYL | Barricade SG | 29544 | H (2) |
| | Nimble | 29467 | |
| | Refine Extra 75 DF | 22352 | |
| <i>TRICHODERMA ASPERELLUM</i> | Asperello T34 | 30229 | F |
| <i>TRICHODERMA ASPERELLUM</i> STRAIN ICC 012 + <i>TRICHODERMA GAMSII</i> STRAIN ICC 080 | Foretryx | 34575 | F (BM 02) |
| <i>TRICHODERMA HARZIANUM</i> | RootShield HC | 27115 | F |
| TRICLOPYR | Garlon 4 | 21053 | H (4) |
| TRIFLOXYSTROBIN | Flint 50WG | 27529 | F (11) |
| TRIFLUDIMOXAZIN | Vulcarus | 33967 | H (14) |
| TRIFLUDIMOXAZIN + SAFLUFENACIL | Voraxor | 33968 | H (14) |
| TRIFORINE | Funginex DC | 27686 | F (3) |