

2018 Growing Season Pesticide Field Log Record Book

Farm Name: _____



"Every person who holds a Pesticide Applicator Certificate shall, in such a manner as required by the Minister, keep records of each pesticide use or application...as per Regulation, Section 9.(1) of the *Pesticides Control Act*. It also requires that every person who keeps records under Regulation, 9.(2) shall enter the use or application of a pesticide in the records not later than 72 hours after a pesticide use or application. These records must be kept for a period of at least three years from the date of the use or application of the pesticide"

"No pesticide can be used unless it is registered in Canada for the intended use and has a *Pest Control Products Act (PCP)* registration number. At all times, pesticides must be applied according to the label directions on the pesticide container."

For more information on Integrated Pest Management contact Sebastian Ibarra Jimenez, Agri-Environmental Specialist for the Prince Edward Island Department of Agriculture and Fisheries. E-mail: sibarra@gov.pe.ca; cell-phone: (902)314-0388

Visit <https://goo.gl/4q9jpS> for the Best Management Practices subprogram under the Canadian Agricultural Partnership

Visit <http://pr-rp.hc-sc.gc.ca/lr-re/index-eng.php> to search for Pest Control Product labels or download the PMRA Pesticides Labels app

PEI Recordkeeping Manual

for Certified Pesticide Applicators

Grower/Applicator Information

| | |
|--------------------------|--|
| Owner/Operator | |
| Address | |
| Company/Farm Name | |
| Phone Number | |
| Phone Number | |

Applicator Name

Certification Number

A _____

B _____

C _____

D _____

E _____

F _____

FIELD LOG SHEET

| | | |
|------------------------|-----------------------------|---------------------------------|
| Name of Client: | Address of Client: | Phone # of Client: |
| Parcel #: | Farmer's Field Name: | Field Location: |
| | | Number of Acres Sprayed: |

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 1 | | | | | | | | |
| 2 | | | | | | | | |
| 3 | | | | | | | | |
| 4 | | | | | | | | |
| 5 | | | | | | | | |
| 6 | | | | | | | | |
| 7 | | | | | | | | |
| 8 | | | | | | | | |
| 9 | | | | | | | | |
| 10 | | | | | | | | |
| 11 | | | | | | | | |
| 12 | | | | | | | | |

Shaded areas, PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date are required under CanadaGap requirements but not for the *Pesticides Control Act*: Applicator Initials are to assist with operations that have multiple sprayer operators.

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 13 | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | |
| 22 | | | | | | | | |
| 23 | | | | | | | | |
| 24 | | | | | | | | |
| 25 | | | | | | | | |
| 26 | | | | | | | | |
| 27 | | | | | | | | |
| 28 | | | | | | | | |
| 29 | | | | | | | | |

Shaded areas, PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date are required under CanadaGap requirements but not for the *Pesticides Control Act*: Applicator Initials are to assist with operations that have multiple sprayer operators.

FIELD LOG SHEET

| | | |
|------------------------|-----------------------------|---------------------------------|
| Name of Client: | Address of Client: | Phone # of Client: |
| Parcel #: | Farmer's Field Name: | Field Location: |
| | | Number of Acres Sprayed: |

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 1 | | | | | | | | |
| 2 | | | | | | | | |
| 3 | | | | | | | | |
| 4 | | | | | | | | |
| 5 | | | | | | | | |
| 6 | | | | | | | | |
| 7 | | | | | | | | |
| 8 | | | | | | | | |
| 9 | | | | | | | | |
| 10 | | | | | | | | |
| 11 | | | | | | | | |
| 12 | | | | | | | | |

Shaded areas, PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date are required under CanadaGap requirements but not for the *Pesticides Control Act*: Applicator Initials are to assist with operations that have multiple sprayer operators.

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 13 | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | |
| 22 | | | | | | | | |
| 23 | | | | | | | | |
| 24 | | | | | | | | |
| 25 | | | | | | | | |
| 26 | | | | | | | | |
| 27 | | | | | | | | |
| 28 | | | | | | | | |
| 29 | | | | | | | | |

Shaded areas, PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date are required under CanadaGap requirements but not for the *Pesticides Control Act*: Applicator Initials are to assist with operations that have multiple sprayer operators.

FIELD LOG SHEET

| | | |
|------------------------|-----------------------------|---------------------------------|
| Name of Client: | Address of Client: | Phone # of Client: |
| Parcel #: | Farmer's Field Name: | Field Location: |
| | | Number of Acres Sprayed: |

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 1 | | | | | | | | |
| 2 | | | | | | | | |
| 3 | | | | | | | | |
| 4 | | | | | | | | |
| 5 | | | | | | | | |
| 6 | | | | | | | | |
| 7 | | | | | | | | |
| 8 | | | | | | | | |
| 9 | | | | | | | | |
| 10 | | | | | | | | |
| 11 | | | | | | | | |
| 12 | | | | | | | | |

Shaded areas, PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date are required under CanadaGap requirements but not for the *Pesticides Control Act*: Applicator Initials are to assist with operations that have multiple sprayer operators.

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 13 | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | |
| 22 | | | | | | | | |
| 23 | | | | | | | | |
| 24 | | | | | | | | |
| 25 | | | | | | | | |
| 26 | | | | | | | | |
| 27 | | | | | | | | |
| 28 | | | | | | | | |
| 29 | | | | | | | | |

Shaded areas, PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date are required under CanadaGap requirements but not for the *Pesticides Control Act*: Applicator Initials are to assist with operations that have multiple sprayer operators.

FIELD LOG SHEET

| | | |
|------------------------|-----------------------------|---------------------------------|
| Name of Client: | Address of Client: | Phone # of Client: |
| Parcel #: | Farmer's Field Name: | Field Location: |
| | | Number of Acres Sprayed: |

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 1 | | | | | | | | |
| 2 | | | | | | | | |
| 3 | | | | | | | | |
| 4 | | | | | | | | |
| 5 | | | | | | | | |
| 6 | | | | | | | | |
| 7 | | | | | | | | |
| 8 | | | | | | | | |
| 9 | | | | | | | | |
| 10 | | | | | | | | |
| 11 | | | | | | | | |
| 12 | | | | | | | | |

Shaded areas, PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date are required under CanadaGap requirements but not for the *Pesticides Control Act*: Applicator Initials are to assist with operations that have multiple sprayer operators.

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 13 | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | |
| 22 | | | | | | | | |
| 23 | | | | | | | | |
| 24 | | | | | | | | |
| 25 | | | | | | | | |
| 26 | | | | | | | | |
| 27 | | | | | | | | |
| 28 | | | | | | | | |
| 29 | | | | | | | | |

Shaded areas, PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date are required under CanadaGap requirements but not for the *Pesticides Control Act*: Applicator Initials are to assist with operations that have multiple sprayer operators.

FIELD LOG SHEET

| | | | | | |
|------------------------|--|-----------------------------|--|---------------------------------|--|
| Name of Client: | | Address of Client: | | Phone # of Client: | |
| Parcel #: | | Farmer's Field Name: | | Field Location: | |
| | | | | Number of Acres Sprayed: | |

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 1 | | | | | | | | |
| 2 | | | | | | | | |
| 3 | | | | | | | | |
| 4 | | | | | | | | |
| 5 | | | | | | | | |
| 6 | | | | | | | | |
| 7 | | | | | | | | |
| 8 | | | | | | | | |
| 9 | | | | | | | | |
| 10 | | | | | | | | |
| 11 | | | | | | | | |
| 12 | | | | | | | | |

Shaded areas, PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date are required under CanadaGap requirements but not for the *Pesticides Control Act*: Applicator Initials are to assist with operations that have multiple sprayer operators.

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 13 | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | |
| 22 | | | | | | | | |
| 23 | | | | | | | | |
| 24 | | | | | | | | |
| 25 | | | | | | | | |
| 26 | | | | | | | | |
| 27 | | | | | | | | |
| 28 | | | | | | | | |
| 29 | | | | | | | | |

Shaded areas, PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date are required under CanadaGap requirements but not for the *Pesticides Control Act*: Applicator Initials are to assist with operations that have multiple sprayer operators.

FIELD LOG SHEET

| | | | | | |
|------------------------|--|-----------------------------|--|---------------------------------|--|
| Name of Client: | | Address of Client: | | Phone # of Client: | |
| Parcel #: | | Farmer's Field Name: | | Field Location: | |
| | | | | Number of Acres Sprayed: | |

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 1 | | | | | | | | |
| 2 | | | | | | | | |
| 3 | | | | | | | | |
| 4 | | | | | | | | |
| 5 | | | | | | | | |
| 6 | | | | | | | | |
| 7 | | | | | | | | |
| 8 | | | | | | | | |
| 9 | | | | | | | | |
| 10 | | | | | | | | |
| 11 | | | | | | | | |
| 12 | | | | | | | | |

Shaded areas, PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date are required under CanadaGap requirements but not for the *Pesticides Control Act*: Applicator Initials are to assist with operations that have multiple sprayer operators.

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 13 | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | |
| 22 | | | | | | | | |
| 23 | | | | | | | | |
| 24 | | | | | | | | |
| 25 | | | | | | | | |
| 26 | | | | | | | | |
| 27 | | | | | | | | |
| 28 | | | | | | | | |
| 29 | | | | | | | | |

Shaded areas, PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date are required under CanadaGap requirements but not for the *Pesticides Control Act*: Applicator Initials are to assist with operations that have multiple sprayer operators.

FIELD LOG SHEET

| | | |
|------------------------|-----------------------------|---------------------------------|
| Name of Client: | Address of Client: | Phone # of Client: |
| Parcel #: | Farmer's Field Name: | Field Location: |
| | | Number of Acres Sprayed: |

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 1 | | | | | | | | |
| 2 | | | | | | | | |
| 3 | | | | | | | | |
| 4 | | | | | | | | |
| 5 | | | | | | | | |
| 6 | | | | | | | | |
| 7 | | | | | | | | |
| 8 | | | | | | | | |
| 9 | | | | | | | | |
| 10 | | | | | | | | |
| 11 | | | | | | | | |
| 12 | | | | | | | | |

Shaded areas, PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date are required under CanadaGap requirements but not for the *Pesticides Control Act*: Applicator Initials are to assist with operations that have multiple sprayer operators.

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 13 | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | |
| 22 | | | | | | | | |
| 23 | | | | | | | | |
| 24 | | | | | | | | |
| 25 | | | | | | | | |
| 26 | | | | | | | | |
| 27 | | | | | | | | |
| 28 | | | | | | | | |
| 29 | | | | | | | | |

Shaded areas, PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date are required under CanadaGap requirements but not for the *Pesticides Control Act*: Applicator Initials are to assist with operations that have multiple sprayer operators.

FIELD LOG SHEET

| | | |
|------------------------|-----------------------------|---------------------------------|
| Name of Client: | Address of Client: | Phone # of Client: |
| Parcel #: | Farmer's Field Name: | Field Location: |
| | | Number of Acres Sprayed: |

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 1 | | | | | | | | |
| 2 | | | | | | | | |
| 3 | | | | | | | | |
| 4 | | | | | | | | |
| 5 | | | | | | | | |
| 6 | | | | | | | | |
| 7 | | | | | | | | |
| 8 | | | | | | | | |
| 9 | | | | | | | | |
| 10 | | | | | | | | |
| 11 | | | | | | | | |
| 12 | | | | | | | | |

Shaded areas, PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date are required under CanadaGap requirements but not for the *Pesticides Control Act*: Applicator Initials are to assist with operations that have multiple sprayer operators.

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 13 | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | |
| 22 | | | | | | | | |
| 23 | | | | | | | | |
| 24 | | | | | | | | |
| 25 | | | | | | | | |
| 26 | | | | | | | | |
| 27 | | | | | | | | |
| 28 | | | | | | | | |
| 29 | | | | | | | | |

Shaded areas, PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date are required under CanadaGap requirements but not for the *Pesticides Control Act*: Applicator Initials are to assist with operations that have multiple sprayer operators.

FIELD LOG SHEET

| | | | | | |
|-----------------|--|----------------------|--|--------------------------|--|
| Name of Client: | | Address of Client: | | Phone # of Client: | |
| Parcel #: | | Farmer's Field Name: | | Field Location: | |
| | | | | Number of Acres Sprayed: | |

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 1 | | | | | | | | |
| 2 | | | | | | | | |
| 3 | | | | | | | | |
| 4 | | | | | | | | |
| 5 | | | | | | | | |
| 6 | | | | | | | | |
| 7 | | | | | | | | |
| 8 | | | | | | | | |
| 9 | | | | | | | | |
| 10 | | | | | | | | |
| 11 | | | | | | | | |
| 12 | | | | | | | | |

Shaded areas, PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date are required under CanadaGap requirements but not for the *Pesticides Control Act*: Applicator Initials are to assist with operations that have multiple sprayer operators.

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 13 | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | |
| 22 | | | | | | | | |
| 23 | | | | | | | | |
| 24 | | | | | | | | |
| 25 | | | | | | | | |
| 26 | | | | | | | | |
| 27 | | | | | | | | |
| 28 | | | | | | | | |
| 29 | | | | | | | | |

Shaded areas, PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date are required under CanadaGap requirements but not for the *Pesticides Control Act*: Applicator Initials are to assist with operations that have multiple sprayer operators.

FIELD LOG SHEET

| | | | | | |
|-----------------|--|----------------------|--|--------------------------|--|
| Name of Client: | | Address of Client: | | Phone # of Client: | |
| Parcel #: | | Farmer's Field Name: | | Field Location: | |
| | | | | Number of Acres Sprayed: | |

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 1 | | | | | | | | |
| 2 | | | | | | | | |
| 3 | | | | | | | | |
| 4 | | | | | | | | |
| 5 | | | | | | | | |
| 6 | | | | | | | | |
| 7 | | | | | | | | |
| 8 | | | | | | | | |
| 9 | | | | | | | | |
| 10 | | | | | | | | |
| 11 | | | | | | | | |
| 12 | | | | | | | | |

Shaded areas, PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date are required under CanadaGap requirements but not for the *Pesticides Control Act*: Applicator Initials are to assist with operations that have multiple sprayer operators.

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 13 | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | |
| 22 | | | | | | | | |
| 23 | | | | | | | | |
| 24 | | | | | | | | |
| 25 | | | | | | | | |
| 26 | | | | | | | | |
| 27 | | | | | | | | |
| 28 | | | | | | | | |
| 29 | | | | | | | | |

Shaded areas, PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date are required under CanadaGap requirements but not for the *Pesticides Control Act*: Applicator Initials are to assist with operations that have multiple sprayer operators.

FIELD LOG SHEET

| | | | | | |
|------------------------|--|-----------------------------|--|---------------------------------|--|
| Name of Client: | | Address of Client: | | Phone # of Client: | |
| Parcel #: | | Farmer's Field Name: | | Field Location: | |
| | | | | Number of Acres Sprayed: | |

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 1 | | | | | | | | |
| 2 | | | | | | | | |
| 3 | | | | | | | | |
| 4 | | | | | | | | |
| 5 | | | | | | | | |
| 6 | | | | | | | | |
| 7 | | | | | | | | |
| 8 | | | | | | | | |
| 9 | | | | | | | | |
| 10 | | | | | | | | |
| 11 | | | | | | | | |
| 12 | | | | | | | | |

Shaded areas, PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date are required under CanadaGap requirements but not for the *Pesticides Control Act*: Applicator Initials are to assist with operations that have multiple sprayer operators.

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 13 | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | |
| 22 | | | | | | | | |
| 23 | | | | | | | | |
| 24 | | | | | | | | |
| 25 | | | | | | | | |
| 26 | | | | | | | | |
| 27 | | | | | | | | |
| 28 | | | | | | | | |
| 29 | | | | | | | | |

Shaded areas, PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date are required under CanadaGap requirements but not for the *Pesticides Control Act*: Applicator Initials are to assist with operations that have multiple sprayer operators.

FIELD LOG SHEET

| | | |
|------------------------|-----------------------------|---------------------------------|
| Name of Client: | Address of Client: | Phone # of Client: |
| Parcel #: | Farmer's Field Name: | Field Location: |
| | | Number of Acres Sprayed: |

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 1 | | | | | | | | |
| 2 | | | | | | | | |
| 3 | | | | | | | | |
| 4 | | | | | | | | |
| 5 | | | | | | | | |
| 6 | | | | | | | | |
| 7 | | | | | | | | |
| 8 | | | | | | | | |
| 9 | | | | | | | | |
| 10 | | | | | | | | |
| 11 | | | | | | | | |
| 12 | | | | | | | | |

Shaded areas, PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date are required under CanadaGap requirements but not for the *Pesticides Control Act*: Applicator Initials are to assist with operations that have multiple sprayer operators.

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 13 | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | |
| 22 | | | | | | | | |
| 23 | | | | | | | | |
| 24 | | | | | | | | |
| 25 | | | | | | | | |
| 26 | | | | | | | | |
| 27 | | | | | | | | |
| 28 | | | | | | | | |
| 29 | | | | | | | | |

Shaded areas, PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date are required under CanadaGap requirements but not for the *Pesticides Control Act*: Applicator Initials are to assist with operations that have multiple sprayer operators.

FIELD LOG SHEET

| | | |
|------------------------|-----------------------------|---------------------------------|
| Name of Client: | Address of Client: | Phone # of Client: |
| Parcel #: | Farmer's Field Name: | Field Location: |
| | | Number of Acres Sprayed: |

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 1 | | | | | | | | |
| 2 | | | | | | | | |
| 3 | | | | | | | | |
| 4 | | | | | | | | |
| 5 | | | | | | | | |
| 6 | | | | | | | | |
| 7 | | | | | | | | |
| 8 | | | | | | | | |
| 9 | | | | | | | | |
| 10 | | | | | | | | |
| 11 | | | | | | | | |
| 12 | | | | | | | | |

Shaded areas, PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date are required under CanadaGap requirements but not for the *Pesticides Control Act*: Applicator Initials are to assist with operations that have multiple sprayer operators.

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 13 | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | |
| 22 | | | | | | | | |
| 23 | | | | | | | | |
| 24 | | | | | | | | |
| 25 | | | | | | | | |
| 26 | | | | | | | | |
| 27 | | | | | | | | |
| 28 | | | | | | | | |
| 29 | | | | | | | | |

Shaded areas, PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date are required under CanadaGap requirements but not for the *Pesticides Control Act*: Applicator Initials are to assist with operations that have multiple sprayer operators.

FIELD LOG SHEET

| | | | | | |
|------------------------|--|-----------------------------|--|---------------------------------|--|
| Name of Client: | | Address of Client: | | Phone # of Client: | |
| Parcel #: | | Farmer's Field Name: | | Field Location: | |
| | | | | Number of Acres Sprayed: | |

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 1 | | | | | | | | |
| 2 | | | | | | | | |
| 3 | | | | | | | | |
| 4 | | | | | | | | |
| 5 | | | | | | | | |
| 6 | | | | | | | | |
| 7 | | | | | | | | |
| 8 | | | | | | | | |
| 9 | | | | | | | | |
| 10 | | | | | | | | |
| 11 | | | | | | | | |
| 12 | | | | | | | | |

Shaded areas, PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date are required under CanadaGap requirements but not for the *Pesticides Control Act*: Applicator Initials are to assist with operations that have multiple sprayer operators.

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 13 | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | |
| 22 | | | | | | | | |
| 23 | | | | | | | | |
| 24 | | | | | | | | |
| 25 | | | | | | | | |
| 26 | | | | | | | | |
| 27 | | | | | | | | |
| 28 | | | | | | | | |
| 29 | | | | | | | | |

Shaded areas, PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date are required under CanadaGap requirements but not for the *Pesticides Control Act*: Applicator Initials are to assist with operations that have multiple sprayer operators.

FIELD LOG SHEET

| | | |
|------------------------|-----------------------------|---------------------------------|
| Name of Client: | Address of Client: | Phone # of Client: |
| Parcel #: | Farmer's Field Name: | Field Location: |
| | | Number of Acres Sprayed: |

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 1 | | | | | | | | |
| 2 | | | | | | | | |
| 3 | | | | | | | | |
| 4 | | | | | | | | |
| 5 | | | | | | | | |
| 6 | | | | | | | | |
| 7 | | | | | | | | |
| 8 | | | | | | | | |
| 9 | | | | | | | | |
| 10 | | | | | | | | |
| 11 | | | | | | | | |
| 12 | | | | | | | | |

Shaded areas, PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date are required under CanadaGap requirements but not for the *Pesticides Control Act*: Applicator Initials are to assist with operations that have multiple sprayer operators.

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 13 | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | |
| 22 | | | | | | | | |
| 23 | | | | | | | | |
| 24 | | | | | | | | |
| 25 | | | | | | | | |
| 26 | | | | | | | | |
| 27 | | | | | | | | |
| 28 | | | | | | | | |
| 29 | | | | | | | | |

Shaded areas, PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date are required under CanadaGap requirements but not for the *Pesticides Control Act*: Applicator Initials are to assist with operations that have multiple sprayer operators.

FIELD LOG SHEET

| | | |
|------------------------|-----------------------------|---------------------------------|
| Name of Client: | Address of Client: | Phone # of Client: |
| Parcel #: | Farmer's Field Name: | Field Location: |
| | | Number of Acres Sprayed: |

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 1 | | | | | | | | |
| 2 | | | | | | | | |
| 3 | | | | | | | | |
| 4 | | | | | | | | |
| 5 | | | | | | | | |
| 6 | | | | | | | | |
| 7 | | | | | | | | |
| 8 | | | | | | | | |
| 9 | | | | | | | | |
| 10 | | | | | | | | |
| 11 | | | | | | | | |
| 12 | | | | | | | | |

Shaded areas, PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date are required under CanadaGap requirements but not for the *Pesticides Control Act*: Applicator Initials are to assist with operations that have multiple sprayer operators.

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 13 | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | |
| 22 | | | | | | | | |
| 23 | | | | | | | | |
| 24 | | | | | | | | |
| 25 | | | | | | | | |
| 26 | | | | | | | | |
| 27 | | | | | | | | |
| 28 | | | | | | | | |
| 29 | | | | | | | | |

Shaded areas, PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date are required under CanadaGap requirements but not for the *Pesticides Control Act*: Applicator Initials are to assist with operations that have multiple sprayer operators.

FIELD LOG SHEET

| | | |
|------------------------|-----------------------------|---------------------------------|
| Name of Client: | Address of Client: | Phone # of Client: |
| Parcel #: | Farmer's Field Name: | Field Location: |
| | | Number of Acres Sprayed: |

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 1 | | | | | | | | |
| 2 | | | | | | | | |
| 3 | | | | | | | | |
| 4 | | | | | | | | |
| 5 | | | | | | | | |
| 6 | | | | | | | | |
| 7 | | | | | | | | |
| 8 | | | | | | | | |
| 9 | | | | | | | | |
| 10 | | | | | | | | |
| 11 | | | | | | | | |
| 12 | | | | | | | | |

Shaded areas, PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date are required under CanadaGap requirements but not for the *Pesticides Control Act*: Applicator Initials are to assist with operations that have multiple sprayer operators.

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 13 | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | |
| 22 | | | | | | | | |
| 23 | | | | | | | | |
| 24 | | | | | | | | |
| 25 | | | | | | | | |
| 26 | | | | | | | | |
| 27 | | | | | | | | |
| 28 | | | | | | | | |
| 29 | | | | | | | | |

Shaded areas, PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date are required under CanadaGap requirements but not for the *Pesticides Control Act*: Applicator Initials are to assist with operations that have multiple sprayer operators.

FIELD LOG SHEET

| | | |
|------------------------|-----------------------------|---------------------------------|
| Name of Client: | Address of Client: | Phone # of Client: |
| Parcel #: | Farmer's Field Name: | Field Location: |
| | | Number of Acres Sprayed: |

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 1 | | | | | | | | |
| 2 | | | | | | | | |
| 3 | | | | | | | | |
| 4 | | | | | | | | |
| 5 | | | | | | | | |
| 6 | | | | | | | | |
| 7 | | | | | | | | |
| 8 | | | | | | | | |
| 9 | | | | | | | | |
| 10 | | | | | | | | |
| 11 | | | | | | | | |
| 12 | | | | | | | | |

Shaded areas, PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date are required under CanadaGap requirements but not for the *Pesticides Control Act*: Applicator Initials are to assist with operations that have multiple sprayer operators.

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 13 | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | |
| 22 | | | | | | | | |
| 23 | | | | | | | | |
| 24 | | | | | | | | |
| 25 | | | | | | | | |
| 26 | | | | | | | | |
| 27 | | | | | | | | |
| 28 | | | | | | | | |
| 29 | | | | | | | | |

Shaded areas, PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date are required under CanadaGap requirements but not for the *Pesticides Control Act*: Applicator Initials are to assist with operations that have multiple sprayer operators.

FIELD LOG SHEET

| | | |
|------------------------|-----------------------------|---------------------------------|
| Name of Client: | Address of Client: | Phone # of Client: |
| Parcel #: | Farmer's Field Name: | Field Location: |
| | | Number of Acres Sprayed: |

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 1 | | | | | | | | |
| 2 | | | | | | | | |
| 3 | | | | | | | | |
| 4 | | | | | | | | |
| 5 | | | | | | | | |
| 6 | | | | | | | | |
| 7 | | | | | | | | |
| 8 | | | | | | | | |
| 9 | | | | | | | | |
| 10 | | | | | | | | |
| 11 | | | | | | | | |
| 12 | | | | | | | | |

Shaded areas, PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date are required under CanadaGap requirements but not for the *Pesticides Control Act*: Applicator Initials are to assist with operations that have multiple sprayer operators.

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 13 | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | |
| 22 | | | | | | | | |
| 23 | | | | | | | | |
| 24 | | | | | | | | |
| 25 | | | | | | | | |
| 26 | | | | | | | | |
| 27 | | | | | | | | |
| 28 | | | | | | | | |
| 29 | | | | | | | | |

Shaded areas, PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date are required under CanadaGap requirements but not for the *Pesticides Control Act*: Applicator Initials are to assist with operations that have multiple sprayer operators.

FIELD LOG SHEET

| | | |
|------------------------|-----------------------------|---------------------------------|
| Name of Client: | Address of Client: | Phone # of Client: |
| Parcel #: | Farmer's Field Name: | Field Location: |
| | | Number of Acres Sprayed: |

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 1 | | | | | | | | |
| 2 | | | | | | | | |
| 3 | | | | | | | | |
| 4 | | | | | | | | |
| 5 | | | | | | | | |
| 6 | | | | | | | | |
| 7 | | | | | | | | |
| 8 | | | | | | | | |
| 9 | | | | | | | | |
| 10 | | | | | | | | |
| 11 | | | | | | | | |
| 12 | | | | | | | | |

Shaded areas, PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date are required under CanadaGap requirements but not for the *Pesticides Control Act*: Applicator Initials are to assist with operations that have multiple sprayer operators.

| | Date & Start Time | Air Temp. | Wind Speed & Direction | Target Pest or Purpose of Application | Trade Name of Pesticide and PCP # | Rate of Application | PHI / EAHD | Applicator Initials |
|----|-------------------|-----------|------------------------|---------------------------------------|-----------------------------------|---------------------|------------|---------------------|
| 13 | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | |
| 22 | | | | | | | | |
| 23 | | | | | | | | |
| 24 | | | | | | | | |
| 25 | | | | | | | | |
| 26 | | | | | | | | |
| 27 | | | | | | | | |
| 28 | | | | | | | | |
| 29 | | | | | | | | |

Shaded areas, PHI = Pre-Harvest Interval and EAHD= Earliest Allowable Harvest Date are required under CanadaGap requirements but not for the *Pesticides Control Act*: Applicator Initials are to assist with operations that have multiple sprayer operators.

Reference List for Products

The table below is not a comprehensive list but is meant as a reference, always read the product label. In case of disagreement between this table and a product's label, the label shall be considered correct. Prepared by Sebastian Ibarra Jimenez, Agri-environmental specialist, PEI Department of Agriculture and Fisheries, Spring 2018

Type: H = Herbicide; F = Fungicide; I = Insecticide

| Active Ingredient(S) | Product Name | PCP# | Type (Mode of action) |
|---|------------------|-------|-----------------------|
| ACETAMIPRID | Assail 70 WP | 27128 | I (4A) |
| AZOXYSTROBIN | Azoshy 250 SC | 32263 | F (11) |
| | Quadris F | 26153 | F (11) |
| | Elatus A | 31973 | F (11) |
| AZOXYSTROBIN + DIFENOCONAZOLE | Quadris Top | 30518 | F (11,3) |
| AZOXYSTROBIN + DIFENOCONAZOLE + FLUDIOXONIL | Stadium | 31050 | F (11,3,12) |
| BACILLUS AMYLOLIQUIFACIENS | Double Nickel LC | 31887 | F (44) |
| BACILLUS SUBTILIS (STRAIN QST 713) | Serenade Max | 28549 | F (44) |
| | Serenade SOIL | 30647 | F (44) |
| | Serenade OPTI | 31666 | F (44) |
| | Serenade ASO | 28626 | F (44) |
| BENZOVINDIFLUPYR | Aprovia | 31981 | F (7) |
| | Elatus B | 31977 | F (7) |
| BENZOVINDIFLUPYR + AZOXISTROBIN | Elatus | 31524 | F (7,11) |
| BENZOVINDIFLUPYR + DIFENOCONAZOLE | Aprovia Top | 31526 | F (7,3) |
| BIFENTHRIN | Capture 240EC | 31396 | I (3A) |
| BOSCALID | Cantus WDG | 30141 | F (7) |
| CARBARYL | Sevin XLR | 27876 | I (1A) |
| CARFENTHAZONE-ETHYL | Aim EC | 28573 | H (14) |
| CHLORANTRANILIPROLE | Coragen | 28982 | I (28) |
| CHLOROTHALONIL | Bravo ZN | 28900 | F (M) |
| | Echo 720 | 29355 | F (M) |
| | Echo 90DF | 29356 | F (M) |
| | Bravo 500 | 15723 | F (M) |
| CHLOROTHALONIL + PROPAMOCARB | Tattoo C | 24544 | F (M, 28) |
| CHLOROTHALONIL + PENTHIOPYRAD | Treoris | 30333 | F (M, 7) |
| CHLORPYRIFOS | Lorsban 50W | 20944 | I (1B) |
| | Lorsban NT | 29650 | I (1B) |
| | Pyrifos 15 G | 24648 | I (1B) |
| | Pyrinex 480 EC | 23705 | I (1B) |
| | Lorsban 4E | 14879 | I (1B) |
| | Sharphos | 32768 | I (1B) |
| | Nufos 4E | 25831 | I (1B) |

| Active Ingredient(S) | Product Name | PCP# | Type |
|-----------------------------|--------------------------------|-------|--------------|
| CHLORPYRIFOS | Warhawk 480EC | 29984 | I (1B) |
| CLETHODIM | Arrow 240 EC | 28224 | H (1) |
| | Select EC | 22625 | H (1) |
| | Clethodim 250 | 32334 | H (1) |
| CLOTHIANIDIN | Clutch 50 WDG | 29382 | I (4A) |
| | Titan ST | 27449 | I (4A) |
| | Nipsit Inside 600 | 28975 | I (4A) |
| CLOTHIANIDIN + PENFLUFEN | Emesto Quantum | 30362 | I (4A), F(7) |
| COPPER | Kocide 2000 | 27348 | F (M) |
| | Parasol FL | 25901 | F (M) |
| | Parasol WP | 24671 | F (M) |
| | Guardman copper oxychloride 50 | 13245 | F (M) |
| | Copper Spray Fungicide | 19146 | F (M) |
| | Cueva | 31825 | F (M) |
| CYAZOFAMID | Ranman 400SC | 30716 | F (21) |
| | Tarrant 400 SC | 30392 | F (21) |
| | Cyazofamid 400 SC | 27984 | F (21) |
| CYMOXANIL | Curzate 60 DF | 26284 | F (27) |
| CYPERMETHRIN | Mako | 30316 | I (3A) |
| | Ripcord 400 EC | 15738 | I (3A) |
| | Up Cyde 2.5 EC | 28795 | I (3A) |
| | Ship 250 EC | 32563 | I (3A) |
| DELTAMETHRIN | Decis 5EC | 22478 | I (3A) |
| | Decis Flowable | 25573 | I (3A) |
| | Poleci 2.5 EC | 32446 | I (3A) |
| DELTAMETHRIN + IMIDACLOPRID | Concept | 29611 | I (3A, 4A) |
| DIMETHOATE | Cygon 480EC | 9807 | I (1B) |
| | Lagon 480 E | 9382 | I (1B) |
| DIMETHOMORPH | Acrobat 50 WP | 27700 | F (40) |
| | Forum | 32026 | F (40) |
| DIMETHOMORPH + AMETOCTRADIN | Zampro | 30321 | F (40, 45) |
| DIQUAT | Reglone Dessicant | 26396 | H (22) |
| ENDOTHALL | Des-i-cate | 13894 | H (16) |
| EPTC | Eptam 8E | 11284 | H (8) |
| FAMOXADONE +CYMOXANIL | Tanos 50 DF | 27435 | F (11,27) |
| FENAMIDONE | Reason 500 SC | 27462 | F (11) |
| FENOXAPROP-P- ETHYL | Excel Super | 22205 | H (1) |
| FLONICAMID | Beleaf 50 SG | 29796 | I (29) |
| FLUAZIFOP-P-BUTYL | Venture L | 21209 | H (1) |
| FLUAZINAM | Allegro 500 F | 27517 | F (29) |

| Active Ingredient(S) | Product Name | PCP# | Type |
|--------------------------------|--------------------------|---------------|------------|
| FLUDIOXONIL | Maxim PSP | 26647 | F (12) |
| FLUDIOXONIL + DIFENOCONAZOLE | Maxim D | 30599 | F (12, 3) |
| FLUOPICOLIDE | Presidio | 30051 | F (43) |
| | Fluopicolide 4 SC | 30050 | F (43) |
| FLUOPYRAM | Velum Prime | 32108 | F (7) |
| FLUOPYRAM + PYRIMETHANIL | Luna Tranquility | 30510 | F (7, 9) |
| FLUOXASTROBIN | Evito 480 SC | 30408 | F (11) |
| FLUPYRADIFURONE | Sivanto Prime | 31452 | I (4D) |
| FOMESAFEN | Reflex | 24779 | H (14) |
| GLUFOSINATE | Ignite 15 SN | 23180 | H (10) |
| | Ignite SN | 28532 | H (10) |
| GLYPHOSATE | Roundup Ultra 2 | 28486 | H (9) |
| IMIDACLOPRID | Admire 240 | 24094 | I (4A) |
| | Alias 240 SC | 28475 | I (4A) |
| | Genesis 240 | 27349 | I (4A) |
| | Grapple | 28726 | I (4A) |
| KAOLIN | Surround WP | 27469 | I |
| LINURON | Linuron 400L | 15544 | H (7) |
| | Lorox DF | 20193 | H (7) |
| | Lorox L | 16279 | H (7) |
| MALATHION | Malathion 50 | 13883 | I (1B) |
| | Malathion 500 | 5821 | I (1B) |
| | Malathion 85 | 8372 | I (1B) |
| MANCOZEB | Dithane DG Rainshield NT | 20553 | F (M) |
| | Dithane M-45 | 8556 | F (M) |
| | MancoPlus | 26157 | F (M) |
| | Manzate Pro-Stick | 28217 | F (M) |
| | Penncozeb 75 DF Raincoat | 30241 | F (M) |
| | Penncozeb 80 WP | 25396 | F (M) |
| | PSPT 16% | 24734.01 | F (M) |
| | Solan MZ | 29377 | F (M) |
| | Tuberseal | 17042 | F (M) |
| | Tuberseal MZ | 29378 | F (M) |
| MANCOZEB + CHLOROTHALONIL | Elixir | 32271 | F (M) |
| MANCOZEB + ZOXAMIDE | Gavel 75 DF | 26842 | F (M, 22) |
| MANCOZEB + FLUODIOXINIL | Maxim MZ PSP | 27965 | F (M, 12) |
| MANDIPROPAMID | Revus | 29074 | F (40) |
| MANDIPROPAMID + OXATHIPIPROLIN | Orondis Ultra | 32145 + 32146 | F (40, 49) |
| METALAXYL-M | Ridomil Gold 480 SL | 28474 | F (4) |
| METALAXYL-M + CHLOROTHALONIL | Ridomil Gold / Bravo Duo | 26443 | F (4, M) |

| Active Ingredient(S) | Product Name | PCP# | Type |
|--|------------------------------|-------|-----------|
| METHOMYL | Lannate Toss-N-Go | 10868 | I (1A) |
| METIRAM | Polyram DF | 20087 | F (M) |
| METRIBUZIN | Sencor 480F | 26280 | H (5) |
| | Sencor 75 DF | 17242 | H (5) |
| | Sencor Solupak 75DF | 20968 | H (5) |
| | TriCor 75 DF | 30661 | H (5) |
| | Metrix | 32876 | H (5) |
| NALED | Dibrom | 7442 | I (1B) |
| NOVALURON | Rimon 10 EC (Chemtura) | 28881 | I (15) |
| | Rimon 10 EC (Makhteshim) | 28515 | I (15) |
| OXAMYL | Vydate L | 17995 | I (1A) |
| PARAQUAT | Gramoxone | 8661 | H (22) |
| PENFLUFEN + PROTHIOCONAZOLE | Emesto Silver | 30361 | F (3,7) |
| PENTHIOPYRAD | Vertisan | 30332 | F (7) |
| | Fontelis | 30331 | F (7) |
| PERMETHRIN | Ambush 500 EC | 14882 | I (3A) |
| | Bio-Environmental Permethrin | 24071 | I (3A) |
| | Perm Up | 28877 | I (3A) |
| | Pounce 384 EC | 16688 | I (3A) |
| PHORATE | Thimet 20-G | 29000 | I (1B) |
| PHOSMET | Imidan 50WP Instapak | 23006 | I (1B) |
| PHOSPHITES OF SODIUM, POTASSIUM AND AMMONIUM SALTS | Phostrol | 30449 | F (33) |
| PHOSPHOROUS ACID (MONON-AND DI-POTASSIUM SALTS) | Confine | 29100 | F (33) |
| | Confine Extra | 30648 | F (33) |
| | Confine Post | 30651 | F (33) |
| | Rampart | 30654 | F (33) |
| PYMETROZINE | Fulfill 50 WG | 27274 | I (9B) |
| PYRACLOSTROBIN | Headline EC | 27322 | F (11) |
| PYRACLOSTROBIN + METIRAM | Cabrio Plus | 30395 | F (11, M) |
| PYRIMETHANIL | Scala SC | 28011 | F (9) |
| RIMSULFURON | Prism Herbicide | 23983 | H (2) |
| SETHOXYDIM | Poast Ultra | 24835 | H (1) |
| S-METOLACHLOR | Dual II Magnum | 25729 | H (15) |
| | UPI S-Met | 32847 | H (15) |
| S-METOLACHLOR + METRIBUZIN | Boundary LQD | 30812 | H (15,5) |
| SPINETORAM | Delegate | 28778 | I (5) |

| Active Ingredient(S) | Product Name | PCP# | Type |
|---|-----------------------------|-------|------------------|
| SPINOSAD | Entrust 80 W | 27825 | I (5) |
| | Success 480 SC | 26835 | I (5) |
| | Spinosad Insecticide | 28602 | I (5) |
| SPIROMESIFEN | Oberon | 28905 | I (23) |
| SPIROTETRAMAT | Movento 240 SC | 28953 | I (23) |
| SULFOXAFLOR | Closer SC | 30826 | I (4C) |
| THIABENDAZOLE | Mertect SC | 13975 | F (1) |
| THIAMETHOXAM | Actara 240 SC | 28407 | I (4A) |
| | Actara 25 WG | 28408 | I (4A) |
| THIAMETHOXAM + CYANTRANILIPROLE | Minecto Duo 40WG | 30900 | I (4A, 28) |
| THIAMETHOXAM + FLUDIOXONIL + DIFENOCONAZOLE | Cruiser Maxx Potato Extreme | 31024 | I (4A), F (12,3) |
| THIOPHANATE-METHYL | Senator PSPT | 26236 | F (1) |