

DISCHARGE OF WASTEWATER NOTICE

NOTE: IMMEDIATELY (within 1 hour from detection) report the discharge of wastewater to the Environmental Emergencies Notification Line as follows: 1-902-426-6030 or 1-800-565-1633.

FOLLOW-UP by forwarding this completed report by *email* or *fax* within 24 hours to the contacts listed below.

Utility Name: _____

To:	Representatives:	E-Mail Completed Notice:	Fax:	Sent
Environment Canada	Chris Roberts	ec.pccsm-cssp.ec@canada.ca	902-490-0711	<input type="checkbox"/>
		Ec.FA-LP-Atl.ec@canada.ca	None	<input type="checkbox"/>
CFIA	Catherine Bannon	catherine.bannon@inspection.gc.ca	902-566-7334	<input type="checkbox"/>
DFO		Closure-fermeture@dfo-mpo-gc.ca	None	<input type="checkbox"/>
PEIEECA Environment Division	Morley Foy	wastewaterdischarge@gov.pe.ca	902-620-3571	<input type="checkbox"/>
	Ben Lanigan			
	George Somers			

Prov. COA No: _____

Check One: Planned Discharge Event Unplanned Discharge Event

Please complete below if there are any sample results of discharge:

Sample Date	BOD ₅ (mg/l)	SS (mg/l)	Other (fill in parameter)	Faecal Coliform (MPN/100ml)
Check one of the following:			Check one of the following:	
<input type="checkbox"/> START of Discharge Event <input type="checkbox"/> UPDATE of Discharge Event <input type="checkbox"/> END of Discharge Event			<input type="checkbox"/> Treated Wastewater <input type="checkbox"/> Partially Treated Wastewater <input type="checkbox"/> Raw Wastewater	
Discharge Event Details				
Date:			Est. cBOD ₅ =	mg/l
Time:	<input type="checkbox"/> am <input type="checkbox"/> pm		Est. TSS =	mg/l
Location:			Est. Faecal Bacteria =	MPN/100ml
Receiving Water:			Duration:	Hrs

Flow Information: Flow or Volume = _____ (Please Note Units) = _____

ESTIMATED KNOWN

Please provide details on Discharge (ie. Reason for Discharge, measures taken to minimize impact, follow-up actions, location details, etc)

Map Attached

Reported By (name):	Position:
Phone Number:	Email:
Date Submitted (dd/mm/yy):	Time Submitted: <input type="checkbox"/> am <input type="checkbox"/> pm