




Rainwater Monitoring Summary

Average Annual pH



Notes: limited samples for 2013 and 2017

For more information:
 Water and Air Monitoring Section
 Ph: (902) 368-4686
 email: seledgerwood@gov.pe.ca

Updated February 9, 2021

Year	Annual Average (pH)	Samples/Year	Lab
1982	4.5	NA	NA
1983	4.0	NA	NA
1984	3.6	NA	NA
1985	3.6	NA	NA
1986	4.4	NA	NA
1987	4.9	NA	NA
1988	4.8	NA	NA
1989	4.6	NA	NA
1990	4.5	NA	NA
1991	4.6	NA	NA
1992	4.6	NA	NA
1993	4.6	NA	NA
1994	4.6	NA	NA
1995	4.7	NA	NA
1996	4.5	NA	NA
1997	4.5	NA	NA
1998	4.4	NA	NA
1999	4.5	NA	NA
2000	4.6	NA	NA
2001	4.6	NA	NA
2002			
2003			
2004	4.8	22	ALET
2005	4.8	44	ALET
2006	4.8	47	ALET
2007	4.8	45	ALET
2008	5.0	43	ALET
2009	5.1	51	ALET
2010	5.1	51	ALET
2011	5.1	42	ALET
2012	5.1	46	ALET
2013	5.4	10	ALET
2014			
2015			
2016			
2017	6.82	9	PEIAL
2018	5.44	37	PEIAL
2019	6.21	35	PEIAL
2020	6.27	39	PEIAL